



THE HUSKY TOOL COMPANY

SUPER STRENGTH SOCKET WRENCHES AND TOOLS
FOR INDUSTRIAL, AUTOMOTIVE AND AERONAUTICAL USES

POST OFFICE BOX 56

NEW BRITAIN, CONN.

August 26th, 1938

Capito Garage
637 W. 21st Street
Erie, Pa.

Gentlemen:

As requested on your recent card we are very glad to enclose copy of our #38 Catalogue illustrating and describing our wrench line. We are pleased to quote you a discount of 25% from the prices shown in this catalogue. All prices are F.O.B. New Britain, Connecticut.

Yours very truly,
THE HUSKY TOOL COMPANY

C. H. Sweet

CHS:EPC
Encl.



FOREWORD

The aim of the Husky Tool Company is to give you the best tools it is possible to make at the lowest possible price. No detail of construction or design is too small to receive our serious attention, and every effort has been made to secure the best material obtainable.

Husky Tools are designed and built by mechanics, for mechanics who appreciate good tools. They will make it easier to take care of the more difficult jobs that are continually cropping up in new model cars and trucks. These jobs can be handled faster with Husky Tools because there will be no interruptions caused by faulty design and construction.

Husky Tools are being put on the market because of our firm belief that the mechanic of today is interested, not in cheap tools cheaply built, but in quality tools at a fair price.

OUR GUARANTEE

Husky tools are guaranteed against defects in material and workmanship. Any tool which has proven to be defective will be gladly replaced without charge, provided it has not been abused, improperly ground or heated, or used for purposes other than that for which it was designed. We cannot allow claims for labor or damage.



INDEX

	Page No.		Page No.
Adapters—Carbon 1/2" Square Drive.....	37	Sockets—Carbon 1/4" Hex Drive.....	32
Adapters—Carbon 1/2" Hex Drive.....	33	Sockets—Carbon Alemite 1/2" Square Drive.....	37
Adapters—Carbon 3/8" Hex Drive.....	33	Sockets—Carbon Drag Link 1/2" Square Drive.....	37
Adapters—Carbon 1/4" Hex Drive.....	33	Sockets—Carbon Screw Driver 1/2" Hex Drive.....	33
Adapters—Chrome 1/2" Square Drive.....	8	Sockets—Carbon Screw Driver 1/4" Hex Drive.....	33
Adapters—Chrome 3/8" Square Drive.....	5	Sockets—Carbon-Spark Plug.....	38
Adapters—Chrome 1/4" Square Drive.....	4	Sockets—Chrome Standard 1/2" Square Drive.....	7
Cross Bars—Carbon 1/2" Square Drive.....	8	Sockets—Chrome Straight Wall 1/4" Square Drive.....	4
Cross Bars—Chrome 3/4" Square Drive.....	19	Sockets—Chrome Alemite 1/2" Square Drive.....	8
Cross Bars—Chrome 1/2" Square Drive.....	8	Sockets—Chrome Drag Link 1/2" Square Drive.....	8
Cross Bars—Chrome 3/8" Square Drive.....	5	Sockets—Chrome Extra Deep 1/2" Square Drive.....	10
Cross Bars—Chrome 1/4" Square Drive.....	4	Sockets—Chrome Extra Deep 3/8" Square Drive.....	5
Display Boards—Chrome 3/4" Square Drive.....	17	Sockets—Chrome Flex Socket 3/8" Square Drive.....	5
Display Boards—Chrome 1/2" Square Drive.....	7-9	Sockets—Chrome Extra Deep 1/2" Square Drive.....	10
Display Boards—Chrome 3/8" and 1/4" Square Drive ..	3	Speeder—Carbon 1/2" Square Drive.....	38
Extension—Carbon 3/8" Hex Drive.....	25-33	Speeder—Chrome 1/2" Square Drive.....	8
Extension—Carbon 1/4" Hex Drive.....	33	Speeder—Chrome 3/8" Square Drive.....	5
Extension—Chrome 3/4" Square Drive.....	19	Universal Joint—Carbon 1/2" Hex Drive.....	33
Extension—Chrome 1/2" Square Drive.....	8	Universal Joint—Carbon 1/2" Square Drive.....	37
Extension—Chrome 3/8" Square Drive.....	5	Universal Joint—Chrome 1/2" Square Drive.....	8
Extension—Chrome 1/4" Square Drive.....	4	Universal Joint—Chrome 3/8" Square Drive.....	5
Flex Handle—Carbon 1/2" Square Drive.....	38	Valve Grinder—Carbon 1/2" Square Drive.....	37
Flex Handle—Carbon 1/2" Hex Drive.....	33	Wheel Pullers.....	39
Flex Handle—Chrome 3/4" Square Drive.....	19	Wrenches—Carbon Box End.....	35
Flex Handle—Chrome 1/2" Square Drive.....	8	Wrenches—Carbon Box and Open End.....	35
Flex Handle—Chrome 3/8" Square Drive.....	5	Wrenches—Chrome Box and Open End.....	21
Flex Handle—Chrome 1/4" Square Drive.....	4	Wrenches—Carbon Bicycle.....	34
Ratchets—Carbon 1/2" Square Drive.....	37	Wrenches—Chrome Box End.....	20 & 21
Ratchets—Carbon 1/2" Hex Drive.....	34	Wrenches—Connecting Rod.....	8
Ratchets—Carbon 3/8" Hex Drive.....	25	Wrenches—Chrome Open End.....	22
Ratchets—Carbon 1/4" Square Drive.....	25	Wrenches—Rim.....	38
Ratchets—Carbon 5/16" Square Drive.....	25	Wrenches—Spinner.....	24
Ratchets—Chrome Reversible 1/2" Square Drive.....	8	Wrenches—Chrome Tappet.....	22
Ratchets—Chrome Reversible 3/8" Square Drive.....	5	Wrench Sets—Carbon 1/2" Square Drive.....	41 to 48
Ratchets—Chrome Reversible 1/4" Square Drive.....	4	Wrench Sets—Carbon 1/2" Hex Drive.....	26 to 31
Ratchets—Chrome Standard 1/2" Square Drive.....	8	Wrench Sets—Carbon 3/8" Hex Drive.....	25
Ratchets—Chrome Standard 3/8" Square Drive.....	5	Wrench Sets—Carbon 1/4" Hex Drive.....	23
Ratchets—Chrome Standard 1/4" Square Drive.....	4	Wrench Sets—Chrome 3/4" Square Drive.....	18
Sockets—Carbon 1/2" Square Drive.....	36	Wrench Sets—Chrome 1/2" Square Drive.....	11 to 16
Sockets—Carbon 1/2" Hex Drive.....	32	Wrench Sets—Chrome 3/8" Square Drive.....	6
Sockets—Carbon 3/8" Hex Drive.....	32	Wrench Sets—Chrome 1/4" Square Drive.....	4
		Wrench Sets—Chrome Extra Deep.....	10

Husky CHROME ALLOY


DISPLAY CABINET

1/4" SQUARE AND 3/8" SQUARE DRIVE

In this Cabinet we have arranged an attractive collection of the chrome alloy 1/4" and 3/8" square drive sockets and tools. The pieces your customers are most likely to need. The increasing demand for tools that can be used on light, delicate jobs means a cordial reception to a display of this type. The larger tools, with the 1/2" square drive are often too heavy and cumbersome for the job. With these light, but tough tools there is a distinct saving in time and equipment parts. The aeroplane and auto mechanic will appreciate the many troublesome jobs that can be taken care of with them. Oil Burner and Electric Refrigerator service men like them because they fit so nicely into their compact kits. Mechanics in all lines of work will be glad to add a few of these tools to their equipment. There is a splendid collection in this Cabinet for them to select from. There is a 6" and a 10" Flex Handle that can be used at any angle. Ratchet handle with light delicate swing, both in Reversible and Non Reversible types. A speeder that is a delight to handle. A full line of sockets from 1/4" to 3/4" with 12 point double hex broaching and from 1/4" to 3/8" with 8 point double square broaching. Also the necessary adapters to permit the combination of any of the handles or ratchets with any size socket. The same care and accuracy that has always distinguished Husky Tools is exemplified in these. The Chrome Alloy steel from which they are made gives long life and service and the Triple Chromium plate adds the touch of beauty and distinction that characterizes quality tools. You buy the tools, we furnish you the cabinet to help you sell them. Size of Board 22 1/2" high by 13" wide.

NO. 2226 DISPLAY CABINET

This Cabinet contains the following selection of Husky small tools that have proven to be time and money savers. No changes in assortment can be made when purchasing one of these cabinets.



No. 2226
88 Pieces

Quan.	Number	Description	List Price Each
1/4" Sq. Dr. Parts			
2	H3732	1/4" x 3/8" Increasing Adapter	\$0.36
2	H3600	1/4"—12 Pt. Socket	.20
2	H3601	9/16" " " "	.20
2	H3602	5/8" " " "	.20
2	H3603	11/16" " " "	.20
2	H3604	3/4" " " "	.20
2	H3605	7/8" " " "	.20
2	H3606	1/4"—8 Pt. Socket	.20
2	H3607	5/8" " " "	.20
2	H3608	3/4" " " "	.20
2	H3731	1/4"—Square Adapter	.20
2	H4598	6"—Flex Handle	.80
2	H3257	3"—Cross Bar	.10
2	H4591	6"—Reversible Ratchet	2.07
2	H4002	6" Standard Ratchet	1.50
3/8" Sq. Dr. Parts			
2	H3681	5/16"—12 Pt. Socket	.27
2	H3703	3/8" " " "	.27
2	H3704	7/8" " " "	.27
2	H3705	1/2" " " "	.27
2	H3706	9/16" " " "	.27
2	H3707	5/8" " " "	.27
2	H3708	11/16" " " "	.33
2	H3709	3/4" " " "	.33
2	H3700	1/4"—8 Pt. Socket	.27
2	H3701	5/8" " " "	.27
2	H3702	3/8" " " "	.27
2	H4300	3/8"—Square Adapter	.25
2	H3718	3"—Socket Extension	.51
2	H3717	6" " " "	.63
2	H3715	11" " " "	.72
2	H3713	Slide Tee Handle	.81
2	H3729	6" Cross Bar	.15
2	H3721	10" Flex Handle	1.50
2	H3719	16" Speeder Handle	1.11
2	H3710	Universal Joint	1.38
2	H3925	6" Reversible Ratchet	2.16
2	H4370	6" Standard Ratchet	1.50
2	H3582	7/16"—12 Pt. Flex Socket	1.30
2	H3583	1/2" " " "	1.30
2	H3584	9/16" " " "	1.30
2	H3585	5/8" " " "	1.30
1	H3970	7/16"—12 Pt. Extra Deep Socket	.44
1	H3971	1/2" " " "	.44
1	H4001	9/16" " " "	.48

No. 2226—Packed 1 to a Case—Shipping Weight 31 Lbs.—List Price..... \$53.04

Husky CHROME ALLOY

MIDGET STRAIGHT WALL SOCKETS AND ATTACHMENTS

1/4" SQUARE DRIVE

The "Midget" sockets and attachments will take the tedious work out of the small jobs and speed them up. Designed for use on magnetos, generators, starters, carburetors, lights, radio, electrical work and many other uses that the larger tools will not handle satisfactorily. They are carefully and accurately machined, well proportioned and have a 1/4" square drive.

HUSKY CHROME ALLOY MIDGET SOCKETS



No. H3604

12 POINT SOCKETS
1/4" SQUARE DRIVE

H3600—1/4"	List Price	.20
H3601—9/32"	" "	.20
H3602—5/16"	" "	.20
H3603—11/16"	" "	.20
H3604—3/8"	" "	.20
H3605—7/16"	" "	.20



No. H3607

8 POINT SOCKETS
1/4" SQUARE DRIVE

H3606—1/4"	List Price	.20
H3607—5/16"	" "	.20
H3608—3/8"	" "	.20

MIDGET SOCKET EXTENSION



No. H4580

A tool for convenience in reaching unusual and out of the way work. 6" long.

No. H4580—Socket Extension
Shipping Weight 4 Oz. Each
List Price \$0.40

SLIDE TEE HANDLE



No. H4583

A slide head offset or Tee Handle that is one of the most convenient tools in the mechanics kit. An effective many purpose tool.


No. H4583—Slide Tee Handle
Shipping Weight 8 Oz. Each
List Price \$0.60



No. 2277

No. 2277—This "Midget" set is packed in the Husky Display Container that attracts the customers attention and invites his purchase. It contains six 12 point sockets 1/4", 9/32", 5/16", 11/16", 3/8" and 7/16". Three 8 point sockets, 1/4", 5/16" and 3/8", with a 6" long Flex Handle and 3" Cross Bar. All 1/4" Square Drive.

No. 2277—11 Piece Set—Shipping Weight 3/4 Lb. Each
Packed 50 per Case—List Price \$2.28



No. 2276

No. 2276—This set is the same as the No. 2277 except that it is packed in a covered steel box in Gray Damaskene finish instead of in the open Husky Display Case.

No. 2276—11 Piece Set—Shipping Weight 1 Lb. Each
Packed 50 per Case—List Price \$2.28

MIDGET STANDARD RATCHET



No. H4002

The same weight and size as the Reversible Ratchet, but has a removable plug for reversing action.

No. H4002—Standard Ratchet
Shipping Weight 6 Oz. Each
List Price \$1.50

MIDGET REVERSIBLE RATCHET



No. H4591

The 1/4" Square Drive ratchet makes easy work of tricky carburetor and ignition jobs. Good also for small electrical bench work. Hair spring action, and can be instantly reversed without removing it from the work.

No. H4591—Reversible Ratchet
Shipping Weight 6 Oz. Each
List Price \$2.07

6" FLEX HANDLE



No. H4598-H3257

A Midget Spinner Handle for Carburetor, Ignition, Radio and other similar work. With the cross bar a Tee Handle with Flexible head that can be used at many angles.

No. H4598—6" Flex Han.—List. Pr. \$0.80
No. H3257—3" Cross Bar—List Pr. .10

ADAPTERS



No. H3732 No. H3731

No. H3731
1/4" Sq. Adapter
List Price \$0.20

No. H3732
1/4" to 3/8" Sq. Adapter
List Price \$0.36


WOOD HANDLE ADAPTER



No. H4586

For radio and ignition this adapter makes a spinner wrench from any 1/4" square drive socket. 6" long.


No. H4586—Wood Handle Adapter
Shipping Weight 4 Oz. Each
List Price \$0.40



No. 2278

A 12 Piece Midget Set with Reversible Ratchet. It contains Six 12 point sockets 1/4", 9/32", 5/16", 11/16", 3/8" and 7/16". Three 8 point sockets 1/2", 5/16" and 3/8". A 6" Flex Handle and 3" cross bar and a reversible ratchet.

No. 2278—12 Piece Set—Packed 50 per Case
Shipping Weight 1 1/2 Lbs. Each—List Price \$3.80



No. 2279

This 16 Piece set contains a complete collection of the essential Midget. Six 12 point Sockets, 1/4", 9/32", 5/16", 11/16", 3/8" and 7/16". Three 8 point sockets 1/4", 5/16" and 3/8". A 6" Flex Handle and Cross Bar, Slide Tee Handle, socket extension, wood handle adapter and standard ratchet with adapter.

No. 2279—16 Piece Set—Packed 50 per Case
Shipping Weight 2 Lbs. Each—List Price \$4.36

Husky CHROME ALLOY

STRAIGHT WALL THIN WALL SOCKETS AND ATTACHMENTS

$\frac{3}{8}$ " SQUARE DRIVE



Nos. H3721-H3729

10" Flex Handle and Cross Bar

For speed and efficiency. A spinner handle, an offset handle and a Tee Handle that can be used at many angles.

No. H3721—10" Flex Handle—Ship. Wgt. 1 Lb. Ea.
List Price \$1.50

No. H3729—6" Cross Bar—Ship. Wgt. 4 Oz. Ea.
List Price \$0.15



No. H3710

Universal Joint

Will connect any $\frac{3}{8}$ " square drive handles and sockets for use in unusual places and at odd angles.

Shipping Weight 4 Oz. Ea.
List Price \$1.38



No. H3925—Reversible Ratchet



No. H4370—Standard Ratchet

Sturdily built with light effortless action, which can be instantly reversed by a slight thumb pressure. The standard ratchet is non-reversible and has removable plug.

No. H3925—Rev. Rat.—Ship. Wgt. $\frac{1}{2}$ Lb. Each.
List Price \$2.16

No. H4370—Stand. Ratchet—Ship. Wgt. $\frac{1}{2}$ Lb. Ea.
List Price \$1.50



No. H3719
SPEEDER

A $\frac{3}{8}$ " square drive speeder with revolving knurled handle, 16" long.

No. H3719—Speeder—Shipping Weight 1 Lb. Each
List Price \$1.11

HUSKY CHROME EXTRA DEEP SOCKETS



No. H3972


Straight Wall, thin wall double hex broached sockets that can be used to great advantage on running board channels, body and fender support bolts, telephone switch boards and many other special jobs.

Cat. No.	Size 12 Point	List Price
H3970	$\frac{7}{16}$ "	\$0.44
H3971	$\frac{1}{2}$ "	.44
H4001	$\frac{9}{16}$ "	.48
H3972	$\frac{5}{8}$ "	.48
H3973	$\frac{11}{16}$ "	.52
H3974	$\frac{3}{4}$ "	.56

HUSKY CHROME FLEX SOCKETS


$\frac{3}{8}$ " SQUARE DRIVE

These Flexible Double Hexagon Sockets are an essential part of the up to date mechanics equipment. They have extremely small overall measurements which means greater efficiency in tight places. Working at any angle up to 90 degrees they are great time and labor savers. Correctly designed to facilitate ease in operation. Carefully machined to size to give positive action. Made from special S. A. E. analysis chrome alloy steel to assure long life and service. Attractively finished in triple chromium Plate.



No. H3583

Cat. No.	Size 12 Point Hex	List Price
H4893	$\frac{3}{8}$ "	\$1.30
H3582	$\frac{7}{16}$ "	1.30
H3583	$\frac{1}{2}$ "	1.30
H3584	$\frac{9}{16}$ "	1.30
H3585	$\frac{5}{8}$ "	1.30
H4895	$\frac{11}{16}$ "	1.30
H4897	$\frac{3}{4}$ "	1.30



No. H3713—SLIDE TEE HANDLE
Weight 8 Oz.—List Price \$0.81

SOCKET EXTENSIONS AND ADAPTERS



No. H3715



No. H3718



No. H3717



No. H3732



No. H4300

Cat. No.	DESCRIPTION	List Price
H3715	11" Socket Extension	\$0.72
H3717	6" Socket Extension	.63
H3718	3" Socket Extension	.51
H3732	$\frac{3}{8}$ " to $\frac{1}{4}$ " Adapter	.36
H4300	1" Ratchet Adapter	.25

HUSKY CHROME SOCKETS

$\frac{3}{8}$ " SQUARE DRIVE

Thin wall, light weight, but strong and tough. Helps to reach those out of the ordinary places with speed and precision. A rich Triple Chromium finish.



No. H3707


Cat. No.	Size 12 Point	List Price
H3681	$\frac{5}{16}$ "	\$0.27
H3703	$\frac{3}{8}$ "	.27
H3704	$\frac{7}{16}$ "	.27
H3705	$\frac{1}{2}$ "	.27
H3706	$\frac{9}{16}$ "	.27
H3707	$\frac{5}{8}$ "	.27
H3708	$\frac{11}{16}$ "	.33
H3709	$\frac{3}{4}$ "	.33
	8 Pt.	
H3700	$\frac{1}{4}$ "	.27
H3701	$\frac{5}{16}$ "	.27
H3702	$\frac{3}{8}$ "	.27
H4901	$\frac{7}{16}$ "	.27
H4902	$\frac{1}{2}$ "	.27

Husky CHROME ALLOY

STRAIGHT WALL SOCKET SETS

$\frac{3}{8}$ " SQUARE DRIVE

These Husky $\frac{3}{8}$ " Square Drive Wrench Sets meet a demand that has long existed among mechanics and repair men. The larger sets in the $\frac{1}{2}$ " square drive were too heavy and cumbersome for many jobs. With these light, but tough tools there is a distinct saving in time and parts. By using these specially designed tools it is easier to get at those nuts and bolts where there is a very limited working space. The sockets and parts of attachments subject to wear and strain, are made from S. A. E. analysis alloy steel, selected particularly to give each part the last word in toughness, strength and resistance to wear, and are finished in Triple Chromium Plate.



No. 2227

No. 2227—The small expense required for one of these sets will be more than offset by the saving in labor and parts. All sockets and tools are beautifully finished in Triple Chromium plate and are amply protected by a sturdy steel box— $16\frac{1}{4}$ " x 5" x $1\frac{1}{4}$ ", finished in a rich gray damaskene. There are 7—12 point sockets, $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ " and $\frac{3}{4}$ ". Three 8 point sockets, $\frac{1}{4}$ ", $\frac{5}{16}$ " and $\frac{3}{8}$ ". Universal Joint, Sliding Ell and Tee Handle, Reversible Ratchet and Ratchet Adapter, Three Socket Extensions, 11", 6" and 3" long. A 16" Speeder, a 10" Flex Handle and Cross Bar, Reversible Ratchet and Ratchet Adapter.


No. 2227—19 Piece Set—Shipping Weight $6\frac{1}{2}$ Lbs. Each
Packed 10 per Case—List Price \$11.00

No. 2228—Is the same as No. 2227 except that it has the Standard Ratchet and Adapter.

No. 2228—20 Piece Set—Packed 10 per Case
Shipping Weight $6\frac{1}{2}$ Lbs.—List Price \$10.70

No. 2234—Is the same as 2227 but without the 10" Flex Handle and Cross Bar.


No. 2234—17 Piece Set—Shipping Weight $5\frac{1}{2}$ Lbs. Each
List Price \$9.50



No. 2229

A very popular $\frac{3}{8}$ " Square drive set that is the choice of many service and repair men, and a favorite with air men, because of their light weight, ease in handling and positive grip. There are Seven 12 point sockets $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ " and $\frac{3}{4}$ ". Three eight point sockets, $\frac{1}{4}$ ", $\frac{5}{16}$ " and $\frac{3}{8}$ ". With a 10" long Flex Handle and 6" Cross Bar. All triple chromium plated and packed in a Gray Damaskene finished steel box.


No. 2229—Packed 25 per Case—Shipping Weight 2 Lbs.
List Price \$4.10



No. 2231

No. 2231—The aeroplane and auto mechanic will appreciate the wide range of work that can be covered by the tools in this set. There are Seven—12 point sockets, $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ " and $\frac{3}{4}$ ". Three 8 point sockets, $\frac{1}{4}$ ", $\frac{5}{16}$ " and $\frac{3}{8}$ ". A Universal Joint, Sliding Ell and Tee Handle, Reversible Ratchet and Ratchet Adapter, Three Socket Extensions, 11", 6" and 3" long. All the above parts $\frac{3}{8}$ " square drive. And in addition there are Six 12 point sockets, $\frac{1}{4}$ ", $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ " and $\frac{7}{16}$ ". Three 8 point sockets, $\frac{1}{4}$ ", $\frac{5}{16}$ " and $\frac{3}{8}$ ", with a six inch Flex Handle and 3" Cross Bar and a $\frac{1}{4}$ " square Ratchet Adapter. These additional parts are $\frac{1}{4}$ " square drive and are nested in a gray damaskened finished Display Case.

No. 2231—28 Piece Set—Shipping Weight $6\frac{1}{4}$ Lbs. Each
Packed 10 per Case—List Price \$11.80



No. 2232

No. 2232—A set particularly arranged for the Oil Burner and Electric Refrigerator service men. There are Seven 12 point sockets $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ " and $\frac{3}{4}$ ", a Reversible Ratchet, a 6" long Socket Extension, a 10" Flex Handle and 6" Cross Bar.

No. 2232—11 Piece Set—Shipping Weight 3 Lbs. Each
Packed 25 per Case—List Price \$5.80

No. 2233—Is the same as No. 2232 except that it has a standard Ratchet with $\frac{3}{8}$ " Square Adapter instead of a Reversible Ratchet and a 5" Extension Adapter.

No. 2233—12 Piece Set—Shipping Weight 3 Lbs. Each
Packed 25 per Case—List Price \$5.20

No. 2230D

No. 2230D—Is the same as No. 2229 except that it is packed in an open Display Case

No. 2230D—12 Piece Set—Shipping Weight $1\frac{3}{4}$ Lbs. Each
Packed 25 per Case—List Price \$4.10
See full description page 16

Husky

CHROME ALLOY SOCKET
DISPLAY

1/2" SQUARE DRIVE

This is a compact attractively arranged stock that displays the beauty of design and finish of these sockets. Will attract favorable attention and make buying easy. These sockets represent the highest quality of workmanship and material. Made from S. A. E. analysis alloy steel, selected to give maximum toughness, strength and resistance to wear, and beautifully finished in triple chromium plate.


You pay for the sockets only. We furnish the display stand, which requires but little space as it is 12" wide by 18" high.

Only the quantities and sizes shown may be had with this display, but individual sockets may be purchased in any quantities.

No. 2143 DISPLAY

Quan.	Number	DESCRIPTION	List Price Each
10	H2700	7/16" —12 Pt. Socket	.30
10	H2701	1/2" " " "	.30
10	H2702	9/16" " " "	.37
5	H2844	1 1/16" " " "	.37
10	H2703	5/8" " " "	.39
10	H2704	21/32" " " "	.39
10	H2705	1 1/16" " " "	.39
10	H2706	3/4" " " "	.45
5	H2845	25/32" " " "	.45
10	H2707	1 1/8" " " "	.45
10	H2708	7/8" " " "	.45
10	H2709	15/16" " " "	.50
2	H2902	31/32" " " "	.50
5	H2846	1" " " "	.54
2	H2847	1 1/16" " " "	.57
2	H2848	1 1/8" " " "	.63

No. 2143—121 Pieces—Packed One to a Case
Shipping Weight 45 Lbs.—List Price \$50.20



Husky CHROME SOCKETS

1/2" SQUARE DRIVE
12 POINT SOCKETS

Number	Size	Std. Pkg.	Shpg. Wgt. Per Pkg.	List Price
H2700	7/16"	10	1 1/4 Lbs.	.30
H2701	1/2"	10	1 1/4 "	.30
H2702	9/16"	10	1 1/4 "	.37
H2844	1 1/16"	10	1 1/2 "	.37
H2703	5/8"	10	1 1/2 "	.39
H2704	21/32"	10	1 3/4 "	.39
H2705	1 1/16"	10	1 3/4 "	.39
H2706	3/4"	10	1 3/4 "	.45
H2845	25/32"	10	1 3/4 "	.45
H2707	1 1/8"	10	2 "	.45
H2708	7/8"	10	2 1/4 "	.45
H2709	15/16"	10	3 "	.50
H2902	31/32"	10	3 "	.50
H2846	1"	10	3 1/4 "	.54
H2847	1 1/16"	10	4 "	.57
H2848	1 1/8"	10	4 "	.63
H2929	1 1/4"	10	5 "	.63

8 POINT SOCKETS

Number	Size	Std. Pkg.	Shpg. Wgt. Per Pkg.	List Price
H2866	1/2"	10	1 1/2 Lbs.	.37
H2867	9/16"	10	2 "	.42
H2868	5/8"	10	2 "	.45
H2869	11/16"	10	3 "	.45
H2870	3/4"	10	4 "	.45
H2871	7/8"	10	5 "	.57



12 Pt. Double Hex Sockets




8 Pt. Double Square Sockets

Husky

CHROME ALLOY SOCKET ATTACHMENTS

1/2" SQUARE DRIVE



FLEX HANDLES

The Flex or Spinner handles make possible many combinations each of which is a complete tool. As a Spinner handle it can be rolled between the palms of the hands to speed on the nut, then swung to right angles for the tightening pull. Furnished in sizes for every job.

Number	DESCRIPTION	Standard Package	Shpg. Wt. Std. Pkg.	List Price
H4371	18" Flex Handle	12	24	\$1.90
H3182	15" Flex Handle	12	21	1.62
H3379	12" Flex Handle	12	15	1.40



FLEX HANDLE CROSS BAR

Used with the flex handle to form an efficient Tee Handle with flexible head.

No. H2890—Shipping Weight Ea. 2 Oz.—List Price \$0.18



UNIVERSAL JOINT

Slender and compact in design. Works freely at any angle. Gives you a flexible type wrench of any required size when used with Husky Handles and Sockets or any standard 1/2" square drive attachment.

No. H2963—Universal Joint—Shipping Weight Ea. 8 Oz.
List Price \$1.20



CONNECTING ROD WRENCHES


These are two special purpose wrenches that are in constant demand by garages and service men. Husky quality products, finished in bright cadmium.

No. H4526— $\frac{9}{16}$ "—12 Point Opening.
Extra thin nose for Ford V-8 connecting rod bolts.
Shipping Weight 1 Lb. Each—List Price \$0.56

No. H4527— $\frac{21}{32}$ " 12 Point Opening.
For model "A" and "B" Ford Connecting rod bolts.
Shipping Weight 1 Lb. Each—List Price \$0.56



No. H2675—Alemite Fitting
Socket
Shipping Weight per Dozen
1 1/2 Lbs.
List Price \$0.28



DRAG LINK SOCKET

H4721	$\frac{5}{8}$ " wide	\$0.54
H4903	$\frac{15}{16}$ " "	.54
H4904	$1\frac{3}{16}$ " "	.60



REVERSIBLE RATCHET

For speed and convenience. No stopping to change sockets from one side to the other, no push through plug to bother with. One quick thumb movement and the action is instantly reversed.

No. H4725—10 1/2" Long—Shipping Weight Each 1 1/2 Lbs.
List Price \$2.94



STANDARD RATCHET

Distinguished for its strength and ease of operation. Can be used with any adapter with standard 1/2" square drive.


No. H3183—10" Long—Shipping Weight Each 1 1/4 Lbs.
List Price \$2.28



SLIDING TEE HANDLE

A combination Sliding Tee or offset handle. Can be used directly in combination with the sockets or with any other handle and adapter hook up with standard 1/2" square drive.


No. H3884—Shipping Weight Each 1 Lb.—List Price \$1.02



ADAPTERS

One or more of the above adapters will furnish the connecting link to build up the wrench required for any particular job.

Number	DESCRIPTION	Standard Package	Shpg. Wt. Std. Pkg.	List Price
H2711	10" long Soc. Extension	12	12 Lbs.	\$0.75
H2712	5" long Soc. Extension	12	6 "	.64
H4333	Screw Driver Adapter	12	6 Oz.	.39
H3239	1 1/4" Short Adapter	12	6 "	.27



SPEEDER HANDLES

These speeders are of improved design, with comfortable knurled end grip. The stop collar on the socket end holds socket in positive position.


Number	DESCRIPTION	Standard Package	Shpg. Wt. Std. Pkg.	List Price
H3382	19" Speeder	12	21	\$0.87
H3384	13" Speeder	12	15	.78

Husky CHROME ALLOY

STANDARD TAPERED WALL SOCKETS AND ATTACHMENTS DISPLAY BOARD

$\frac{1}{2}$ " SQUARE DRIVE

Here is a representative stock of Husky Chrome Alloy Standard Tools attractively displayed. The practical and profitable way to handle small tools. An extra salesman at no additional expense. The cost of this board represents the cost of the tools only, at their regular price. We lend you the board, no charge. Many an extra sale is made as the result of an eye catching merchandise display of this kind. This silent salesman will create many additional sales. They are always on the job waiting to catch the eye of the passing customer, making it easy for him to buy. There are 101 pieces comprising 35 different items. No changes in assortment can be made when purchasing one of these boards. Size of board 23" high x 16" wide.



No. 2126C
101 Pieces

No. 2126C DISPLAY BOARD

This board contains the very complete assortment of Husky $\frac{1}{2}$ " Square Drive Standard Chrome Alloy Tools listed below.

Quan.	Number	DESCRIPTION	List Price Each
3	H3182	15" Flex Handle	\$1.62
3	H3379	12" " "	1.40
6	H2890	8" Cross Bar	.18
3	H3183	Ratchet	2.28
3	H3239	Ratchet Adapter	.27
3	H3884	Ell and Tee Handle	1.02
3	H3382	Long Speeder	.87
3	H3384	Short Speeder	.78
3	H2711	Long Socket Extension	.75
3	H2712	Short Socket Extension	.64
3	H2963	Universal Joint	1.20
2	H2675	Alemite Socket	.28
2	H4721	Drag Link Socket	.54
2	H2630	$\frac{5}{16}$ " Drain Plug Socket	.14
2	H2631	$\frac{3}{8}$ " " " "	.14
2	H2632	$\frac{7}{8}$ " " " "	.14
2	H2633	$\frac{1}{2}$ " " " "	.14
2	H2634	$\frac{9}{16}$ " " " "	.14
2	H2635	$\frac{5}{8}$ " " " "	.14
3	H2700	$\frac{7}{16}$ " 12 Pt. Socket	.30
3	H2701	$\frac{1}{2}$ " " " "	.30
5	H2702	$\frac{9}{16}$ " " " "	.37
5	H2703	$\frac{5}{8}$ " " " "	.39
5	H2704	$\frac{21}{32}$ " " " "	.39
5	H2705	$\frac{11}{16}$ " " " "	.39
5	H2706	$\frac{3}{4}$ " " " "	.45
3	H2845	$\frac{25}{32}$ " " " "	.45
3	H2707	$\frac{13}{16}$ " " " "	.45
3	H2708	$\frac{7}{8}$ " " " "	.45
2	H2709	$\frac{15}{16}$ " " " "	.50
1	H2902	$\frac{31}{32}$ " " " "	.50
2	H2846	1" " " "	.54
2	H2847	$1\frac{1}{16}$ " " " "	.57
2	H2848	$1\frac{1}{8}$ " " " "	.63
2	H2929	$1\frac{1}{4}$ " " " "	.63

Husky CHROME ALLOY

STRAIGHT WALL EXTRA DEEP SOCKET SETS

1/2" SQUARE DRIVE

EXTRA DEEP 12 POINT SOCKETS



No. H3641

Number	Size	Std. Pkg.	Shpg. Wt. Per Pkg.	List Price
H4856	1/4"	10	3 Lbs.	\$0.60
¹ H4568	9/16"	10	3 1/2 "	.60
H4857	5/8"	10	3 1/2 "	.66
² H4569	11/16"	10	3 1/2 "	.66
H4858	3/4"	10	4 "	.66
H3639	13/16"	10	5 "	.72
H4859	25/32"	10	5 1/2 "	.69
H3640	7/8"	10	6 "	.81
H3641	15/16"	10	7 "	.90
H3642	1"	10	8 "	.96
H4860	1 1/16"	10	9 "	1.02
H3643	1 1/8"	10	10 "	1.17

¹ 10 m/m for A. C. Spark Plugs

² 10 m/m for Champion Spark Plugs

These extra deep sockets are essential to properly service late model cars and trucks. They measure 3 1/2" overall with a 3" inside depth. The side walls are straight and thin for clearance and the 12 point openings are accurate and deep, insuring positive grip on the nut. In many shops they are the required equipment for work on brake rod ends, shackle spring clips, body bolts, and all places where bolts projecting through the nuts make it impossible to use sockets of ordinary depth. They also provide the safe swift and sure way to handle spark plugs.



No. 2330

No. 2330—A set of five spark plug sockets packed in a fibre box. All these sockets have the keyless lock on feature that holds them firmly on the handle, yet allows them to be instantly removed.

No. 2330—5 Piece Set—Packed 25 to a Case
Shipping Weight 3 1/4 Lbs. Each—List Price \$4.66

CHROME ALLOY SPECIAL PURPOSE SOCKETS

SPECIAL FORD A MAIN BEARING SOCKET



No. H3635

For quick and effective servicing of Model A Ford main bearings this socket will save both time and labor. Made from Chrome Alloy steel 3/4"—12 Point broached, 1/2" square drive and Triple Chromium plated.

Shipping Weight per Dozen 1 3/4 Lbs.

No. H3635—Ford A Main Bearing Socket
List Price \$0.40

SPECIAL CHEVROLET MAIN BEARING SOCKET



No. H3634

A Special Socket Designed for servicing Chevrolet Main Bearings. Thin Straight wall 11/16"—12 Point broaching and standard 1/2" drive. Like the other special sockets shown on this page it can be used with any handles or attachments having the standard 1/2" square drive. Made from Chrome Alloy Steel and Triple Chromium plated.

Shipping Weight per Dozen 1 3/4 Lbs.

No. H3634—Chevrolet Main Bearing Socket
List Price \$0.36

SPECIAL SOCKET FOR V-8 CONNECTING ROD




No. H3633

Because of restricted space the nose of this socket is tapered down smaller than a good engineering design permits. It is 9/16"—12 point broached 1/2", standard drive, made from the best chrome alloy steel but because of special design is not guaranteed. Triple Chromium Plated.

Shipping Weight per Dozen 1 1/4 Lbs.

No. H3633—Special V-8 Socket
List Price \$0.48



No. 2331


No. 2331—Contains seven extra deep chrome alloy spark plug sockets in sizes that will fit any type plugs. The 9/16" and 11/16" will fit the new 10 M/M plugs. This set will pay for itself many times in the plugs it will save. It is complete with seven sockets and a 1/2" square drive ell handle. All triple chromium plated and packed in a steel box.

No. 2331—8 Piece Set—Packed 25 per Case
Shipping Weight 5 Lbs. Each—List Price \$6.60

Husky CHROME ALLOY

STANDARD TAPERED WALL SOCKET SETS

1/4" AND 1/2" SQUARE DRIVE




No. 2133

No. 2133—Is one of the greatest values in the Husky Chrome line. All of the twenty-seven pieces have been carefully selected for their practical value, and are so attractively arranged that they have a sales appeal hard to resist. It is a set that will be appreciated by both the experienced buyer and the practical mechanic. It contains 10—12 point sockets, 1/2", 9/16", 5/8", 3/4", 11/16", 7/8", 15/16", a 10" and a 5" Socket Extension, 10 1/2" Forged Ratchet and Ratchet Adapter, Sliding Ell and Tee Handle, and a Universal Joint, all 1/2" Square Standard Drive. These parts alone would be worth the price of this set, but in addition there is a complete 1/4" Square Drive Ignition or magneto set, consisting of 6—12 point sockets, 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8", 15/16", 1", 1 1/8", 1 1/4", 1 1/2", 1 3/4", 2", 2 1/4", 2 1/2", 2 3/4", 3", 3 1/4", 3 1/2", 3 3/4", 4", 4 1/4", 4 1/2", 4 3/4", 5", 5 1/4", 5 1/2", 5 3/4", 6", 6 1/4", 6 1/2", 6 3/4", 7", 7 1/4", 7 1/2", 7 3/4", 8", 8 1/4", 8 1/2", 8 3/4", 9", 9 1/4", 9 1/2", 9 3/4", 10", 10 1/4", 10 1/2", 10 3/4", 11", 11 1/4", 11 1/2", 11 3/4", 12", 12 1/4", 12 1/2", 12 3/4", 13", 13 1/4", 13 1/2", 13 3/4", 14", 14 1/4", 14 1/2", 14 3/4", 15", 15 1/4", 15 1/2", 15 3/4", 16", 16 1/4", 16 1/2", 16 3/4", 17", 17 1/4", 17 1/2", 17 3/4", 18", 18 1/4", 18 1/2", 18 3/4", 19", 19 1/4", 19 1/2", 19 3/4", 20", 20 1/4", 20 1/2", 20 3/4", 21", 21 1/4", 21 1/2", 21 3/4", 22", 22 1/4", 22 1/2", 22 3/4", 23", 23 1/4", 23 1/2", 23 3/4", 24", 24 1/4", 24 1/2", 24 3/4", 25", 25 1/4", 25 1/2", 25 3/4", 26", 26 1/4", 26 1/2", 26 3/4", 27", 27 1/4", 27 1/2", 27 3/4", 28", 28 1/4", 28 1/2", 28 3/4", 29", 29 1/4", 29 1/2", 29 3/4", 30", 30 1/4", 30 1/2", 30 3/4", 31", 31 1/4", 31 1/2", 31 3/4", 32", 32 1/4", 32 1/2", 32 3/4", 33", 33 1/4", 33 1/2", 33 3/4", 34", 34 1/4", 34 1/2", 34 3/4", 35", 35 1/4", 35 1/2", 35 3/4", 36", 36 1/4", 36 1/2", 36 3/4", 37", 37 1/4", 37 1/2", 37 3/4", 38", 38 1/4", 38 1/2", 38 3/4", 39", 39 1/4", 39 1/2", 39 3/4", 40", 40 1/4", 40 1/2", 40 3/4", 41", 41 1/4", 41 1/2", 41 3/4", 42", 42 1/4", 42 1/2", 42 3/4", 43", 43 1/4", 43 1/2", 43 3/4", 44", 44 1/4", 44 1/2", 44 3/4", 45", 45 1/4", 45 1/2", 45 3/4", 46", 46 1/4", 46 1/2", 46 3/4", 47", 47 1/4", 47 1/2", 47 3/4", 48", 48 1/4", 48 1/2", 48 3/4", 49", 49 1/4", 49 1/2", 49 3/4", 50", 50 1/4", 50 1/2", 50 3/4", 51", 51 1/4", 51 1/2", 51 3/4", 52", 52 1/4", 52 1/2", 52 3/4", 53", 53 1/4", 53 1/2", 53 3/4", 54", 54 1/4", 54 1/2", 54 3/4", 55", 55 1/4", 55 1/2", 55 3/4", 56", 56 1/4", 56 1/2", 56 3/4", 57", 57 1/4", 57 1/2", 57 3/4", 58", 58 1/4", 58 1/2", 58 3/4", 59", 59 1/4", 59 1/2", 59 3/4", 60", 60 1/4", 60 1/2", 60 3/4", 61", 61 1/4", 61 1/2", 61 3/4", 62", 62 1/4", 62 1/2", 62 3/4", 63", 63 1/4", 63 1/2", 63 3/4", 64", 64 1/4", 64 1/2", 64 3/4", 65", 65 1/4", 65 1/2", 65 3/4", 66", 66 1/4", 66 1/2", 66 3/4", 67", 67 1/4", 67 1/2", 67 3/4", 68", 68 1/4", 68 1/2", 68 3/4", 69", 69 1/4", 69 1/2", 69 3/4", 70", 70 1/4", 70 1/2", 70 3/4", 71", 71 1/4", 71 1/2", 71 3/4", 72", 72 1/4", 72 1/2", 72 3/4", 73", 73 1/4", 73 1/2", 73 3/4", 74", 74 1/4", 74 1/2", 74 3/4", 75", 75 1/4", 75 1/2", 75 3/4", 76", 76 1/4", 76 1/2", 76 3/4", 77", 77 1/4", 77 1/2", 77 3/4", 78", 78 1/4", 78 1/2", 78 3/4", 79", 79 1/4", 79 1/2", 79 3/4", 80", 80 1/4", 80 1/2", 80 3/4", 81", 81 1/4", 81 1/2", 81 3/4", 82", 82 1/4", 82 1/2", 82 3/4", 83", 83 1/4", 83 1/2", 83 3/4", 84", 84 1/4", 84 1/2", 84 3/4", 85", 85 1/4", 85 1/2", 85 3/4", 86", 86 1/4", 86 1/2", 86 3/4", 87", 87 1/4", 87 1/2", 87 3/4", 88", 88 1/4", 88 1/2", 88 3/4", 89", 89 1/4", 89 1/2", 89 3/4", 90", 90 1/4", 90 1/2", 90 3/4", 91", 91 1/4", 91 1/2", 91 3/4", 92", 92 1/4", 92 1/2", 92 3/4", 93", 93 1/4", 93 1/2", 93 3/4", 94", 94 1/4", 94 1/2", 94 3/4", 95", 95 1/4", 95 1/2", 95 3/4", 96", 96 1/4", 96 1/2", 96 3/4", 97", 97 1/4", 97 1/2", 97 3/4", 98", 98 1/4", 98 1/2", 98 3/4", 99", 99 1/4", 99 1/2", 99 3/4", 100", 100 1/4", 100 1/2", 100 3/4", 101", 101 1/4", 101 1/2", 101 3/4", 102", 102 1/4", 102 1/2", 102 3/4", 103", 103 1/4", 103 1/2", 103 3/4", 104", 104 1/4", 104 1/2", 104 3/4", 105", 105 1/4", 105 1/2", 105 3/4", 106", 106 1/4", 106 1/2", 106 3/4", 107", 107 1/4", 107 1/2", 107 3/4", 108", 108 1/4", 108 1/2", 108 3/4", 109", 109 1/4", 109 1/2", 109 3/4", 110", 110 1/4", 110 1/2", 110 3/4", 111", 111 1/4", 111 1/2", 111 3/4", 112", 112 1/4", 112 1/2", 112 3/4", 113", 113 1/4", 113 1/2", 113 3/4", 114", 114 1/4", 114 1/2", 114 3/4", 115", 115 1/4", 115 1/2", 115 3/4", 116", 116 1/4", 116 1/2", 116 3/4", 117", 117 1/4", 117 1/2", 117 3/4", 118", 118 1/4", 118 1/2", 118 3/4", 119", 119 1/4", 119 1/2", 119 3/4", 120", 120 1/4", 120 1/2", 120 3/4", 121", 121 1/4", 121 1/2", 121 3/4", 122", 122 1/4", 122 1/2", 122 3/4", 123", 123 1/4", 123 1/2", 123 3/4", 124", 124 1/4", 124 1/2", 124 3/4", 125", 125 1/4", 125 1/2", 125 3/4", 126", 126 1/4", 126 1/2", 126 3/4", 127", 127 1/4", 127 1/2", 127 3/4", 128", 128 1/4", 128 1/2", 128 3/4", 129", 129 1/4", 129 1/2", 129 3/4", 130", 130 1/4", 130 1/2", 130 3/4", 131", 131 1/4", 131 1/2", 131 3/4", 132", 132 1/4", 132 1/2", 132 3/4", 133", 133 1/4", 133 1/2", 133 3/4", 134", 134 1/4", 134 1/2", 134 3/4", 135", 135 1/4", 135 1/2", 135 3/4", 136", 136 1/4", 136 1/2", 136 3/4", 137", 137 1/4", 137 1/2", 137 3/4", 138", 138 1/4", 138 1/2", 138 3/4", 139", 139 1/4", 139 1/2", 139 3/4", 140", 140 1/4", 140 1/2", 140 3/4", 141", 141 1/4", 141 1/2", 141 3/4", 142", 142 1/4", 142 1/2", 142 3/4", 143", 143 1/4", 143 1/2", 143 3/4", 144", 144 1/4", 144 1/2", 144 3/4", 145", 145 1/4", 145 1/2", 145 3/4", 146", 146 1/4", 146 1/2", 146 3/4", 147", 147 1/4", 147 1/2", 147 3/4", 148", 148 1/4", 148 1/2", 148 3/4", 149", 149 1/4", 149 1/2", 149 3/4", 150", 150 1/4", 150 1/2", 150 3/4", 151", 151 1/4", 151 1/2", 151 3/4", 152", 152 1/4", 152 1/2", 152 3/4", 153", 153 1/4", 153 1/2", 153 3/4", 154", 154 1/4", 154 1/2", 154 3/4", 155", 155 1/4", 155 1/2", 155 3/4", 156", 156 1/4", 156 1/2", 156 3/4", 157", 157 1/4", 157 1/2", 157 3/4", 158", 158 1/4", 158 1/2", 158 3/4", 159", 159 1/4", 159 1/2", 159 3/4", 160", 160 1/4", 160 1/2", 160 3/4", 161", 161 1/4", 161 1/2", 161 3/4", 162", 162 1/4", 162 1/2", 162 3/4", 163", 163 1/4", 163 1/2", 163 3/4", 164", 164 1/4", 164 1/2", 164 3/4", 165", 165 1/4", 165 1/2", 165 3/4", 166", 166 1/4", 166 1/2", 166 3/4", 167", 167 1/4", 167 1/2", 167 3/4", 168", 168 1/4", 168 1/2", 168 3/4", 169", 169 1/4", 169 1/2", 169 3/4", 170", 170 1/4", 170 1/2", 170 3/4", 171", 171 1/4", 171 1/2", 171 3/4", 172", 172 1/4", 172 1/2", 172 3/4", 173", 173 1/4", 173 1/2", 173 3/4", 174", 174 1/4", 174 1/2", 174 3/4", 175", 175 1/4", 175 1/2", 175 3/4", 176", 176 1/4", 176 1/2", 176 3/4", 177", 177 1/4", 177 1/2", 177 3/4", 178", 178 1/4", 178 1/2", 178 3/4", 179", 179 1/4", 179 1/2", 179 3/4", 180", 180 1/4", 180 1/2", 180 3/4", 181", 181 1/4", 181 1/2", 181 3/4", 182", 182 1/4", 182 1/2", 182 3/4", 183", 183 1/4", 183 1/2", 183 3/4", 184", 184 1/4", 184 1/2", 184 3/4", 185", 185 1/4", 185 1/2", 185 3/4", 186", 186 1/4", 186 1/2", 186 3/4", 187", 187 1/4", 187 1/2", 187 3/4", 188", 188 1/4", 188 1/2", 188 3/4", 189", 189 1/4", 189 1/2", 189 3/4", 190", 190 1/4", 190 1/2", 190 3/4", 191", 191 1/4", 191 1/2", 191 3/4", 192", 192 1/4", 192 1/2", 192 3/4", 193", 193 1/4", 193 1/2", 193 3/4", 194", 194 1/4", 194 1/2", 194 3/4", 195", 195 1/4", 195 1/2", 195 3/4", 196", 196 1/4", 196 1/2", 196 3/4", 197", 197 1/4", 197 1/2", 197 3/4", 198", 198 1/4", 198 1/2", 198 3/4", 199", 199 1/4", 199 1/2", 199 3/4", 200", 200 1/4", 200 1/2", 200 3/4", 201", 201 1/4", 201 1/2", 201 3/4", 202", 202 1/4", 202 1/2", 202 3/4", 203", 203 1/4", 203 1/2", 203 3/4", 204", 204 1/4", 204 1/2", 204 3/4", 205", 205 1/4", 205 1/2", 205 3/4", 206", 206 1/4", 206 1/2", 206 3/4", 207", 207 1/4", 207 1/2", 207 3/4", 208", 208 1/4", 208 1/2", 208 3/4", 209", 209 1/4", 209 1/2", 209 3/4", 210", 210 1/4", 210 1/2", 210 3/4", 211", 211 1/4", 211 1/2", 211 3/4", 212", 212 1/4", 212 1/2", 212 3/4", 213", 213 1/4", 213 1/2", 213 3/4", 214", 214 1/4", 214 1/2", 214 3/4", 215", 215 1/4", 215 1/2", 215 3/4", 216", 216 1/4", 216 1/2", 216 3/4", 217", 217 1/4", 217 1/2", 217 3/4", 218", 218 1/4", 218 1/2", 218 3/4", 219", 219 1/4", 219 1/2", 219 3/4", 220", 220 1/4", 220 1/2", 220 3/4", 221", 221 1/4", 221 1/2", 221 3/4", 222", 222 1/4", 222 1/2", 222 3/4", 223", 223 1/4", 223 1/2", 223 3/4", 224", 224 1/4", 224 1/2", 224 3/4", 225", 225 1/4", 225 1/2", 225 3/4", 226", 226 1/4", 226 1/2", 226 3/4", 227", 227 1/4", 227 1/2", 227 3/4", 228", 228 1/4", 228 1/2", 228 3/4", 229", 229 1/4", 229 1/2", 229 3/4", 230", 230 1/4", 230 1/2", 230 3/4", 231", 231 1/4", 231 1/2", 231 3/4", 232", 232 1/4", 232 1/2", 232 3/4", 233", 233 1/4", 233 1/2", 233 3/4", 234", 234 1/4", 234 1/2", 234 3/4", 235", 235 1/4", 235 1/2", 235 3/4", 236", 236 1/4", 236 1/2", 236 3/4", 237", 237 1/4", 237 1/2", 237 3/4", 238", 238 1/4", 238 1/2", 238 3/4", 239", 239 1/4", 239 1/2", 239 3/4", 240", 240 1/4", 240 1/2", 240 3/4", 241", 241 1/4", 241 1/2", 241 3/4", 242", 242 1/4", 242 1/2", 242 3/4", 243", 243 1/4", 243 1/2", 243 3/4", 244", 244 1/4", 244 1/2", 244 3/4", 245", 245 1/4", 245 1/2", 245 3/4", 246", 246 1/4", 246 1/2", 246 3/4", 247", 247 1/4", 247 1/2", 247 3/4", 248", 248 1/4", 248 1/2", 248 3/4", 249", 249 1/4", 249 1/2", 249 3/4", 250", 250 1/4", 250 1/2", 250 3/4", 251", 251 1/4", 251 1/2", 251 3/4", 252", 252 1/4", 252 1/2", 252 3/4", 253", 253 1/4", 253 1/2", 253 3/4", 254", 254 1/4", 254 1/2", 254 3/4", 255", 255 1/4", 255 1/2", 255 3/4", 256", 256 1/4", 256 1/2", 256 3/4", 257", 257 1/4", 257 1/2", 257 3/4", 258", 258 1/4", 258 1/2", 258 3/4", 259", 259 1/4", 259 1/2", 259 3/4", 260", 260 1/4", 260 1/2", 260 3/4", 261", 261 1/4", 261 1/2", 261 3/4", 262", 262 1/4", 262 1/2", 262 3/4", 263", 263 1/4", 263 1/2", 263 3/4", 264", 264 1/4", 264 1/2", 264 3/4", 265", 265 1/4", 265 1/2", 265 3/4", 266", 266 1/4", 266 1/2", 266 3/4", 267", 267 1/4", 267 1/2", 267 3/4", 268", 268 1/4", 268 1/2", 268 3/4", 269", 269 1/4", 269 1/2", 269 3/4", 270", 270 1/4", 270 1/2", 270 3/4", 271", 271 1/4", 271 1/2", 271 3/4", 272", 272 1/4", 272 1/2", 272 3/4", 273", 273 1/4", 273 1/2", 273 3/4", 274", 274 1/4", 274 1/2", 274 3/4", 275", 275 1/4", 275 1/2", 275 3/4, 276", 276 1/4", 276 1/2", 276 3/4, 277", 277 1/4", 277 1/2", 277 3/4, 278", 278 1/4", 278 1/2", 278 3/4, 279", 279 1/4", 279 1/2", 279 3/4, 280", 280 1/4", 280 1/2", 280 3/4, 281", 281 1/4", 281 1/2", 281 3/4, 282", 282 1/4", 282 1/2", 282 3/4, 283", 283 1/4", 283 1/2", 283 3/4, 284", 284 1/4", 284 1/2", 284 3/4, 285", 285 1/4", 285 1/2", 285 3/4, 286", 286 1/4", 286 1/2", 286 3/4, 287", 287 1/4", 287 1/2", 287 3/4, 288", 288 1/4", 288 1/2", 288 3/4, 289", 289 1/4", 289 1/2", 289 3/4, 290", 290 1/4", 290 1/2", 290 3/4, 291", 291 1/4", 291 1/2", 291 3/4, 292", 292 1/4", 292 1/2", 292 3/4, 293", 293 1/4", 293 1/2", 293 3/4, 294", 294 1/4", 294 1/2", 294 3/4, 295", 295 1/4", 295 1/2", 295 3/4, 296", 296 1/4", 296 1/2", 296 3/4, 297", 297 1/4", 297 1/2", 297 3/4, 298", 298 1/4", 298 1/2", 298 3/4, 299", 299 1/4", 299 1/2", 299 3/4, 300", 300 1/4", 300 1/2", 300 3/4, 301", 301 1/4", 301 1/2", 301 3/4, 302", 302 1/4", 302 1/2", 302 3/4, 303", 303 1/4", 303 1/2", 303 3/4, 304", 304 1/4", 304 1/2", 304 3/4, 305", 305 1/4", 305 1/2", 305 3/4, 306", 306 1/4", 306 1/2", 306 3/4, 307", 307 1/4", 307 1/2", 307 3/4, 308", 308 1/4", 308 1/2", 308 3/4, 309", 309 1/4", 309 1/2", 309 3/4, 310", 310 1/4", 310 1/2", 310 3/4, 311", 311 1/4", 311 1/2", 311 3/4, 312", 312 1/4", 312 1/2", 312 3/4, 313", 313 1/4", 313 1/2", 313 3/4, 314", 314 1/4", 314 1/2", 314 3/4, 315", 315 1/4", 315 1/2", 315 3/4, 316", 316 1/4", 316 1/2", 316 3/4, 317", 317 1/4", 317 1/2", 317 3/4, 318", 318 1/4", 318 1/2", 318 3/4, 319", 319 1/4", 319 1/2", 319 3/4, 320", 320 1/4", 320 1/2", 320 3/4, 321", 321 1/4", 321 1/2", 321 3/4, 322", 322 1/4", 322 1/2", 322 3/4, 323", 323 1/4", 323 1/2", 323 3/4, 324", 324 1/4", 324 1/2", 324 3/4, 325", 325 1/4", 325 1/2", 325 3/4, 326", 326 1/4", 326 1/2", 326 3/4, 327", 327 1/4", 327 1/2", 327 3/4, 328", 328 1/4", 328 1/2", 328 3/4, 329", 329 1/4", 329 1/2", 329 3/4, 330", 330 1/4", 330 1/2", 330 3/4, 331", 331 1/4", 331 1/2", 331 3/4, 332", 332 1/4", 332 1/2", 332 3/4, 333", 333 1/4", 333 1/2", 333 3/4, 334", 334 1/4", 334 1/2", 334 3/4, 335", 335 1/4", 335 1/2", 335 3/4, 336", 336 1/4", 336 1/2", 336 3/4, 337", 337 1/4", 337 1/2", 337 3/4, 338", 338 1/4", 338 1/2", 338 3/4, 339", 339 1/4", 339 1/2", 339 3/4, 340", 340 1/4", 340 1/2", 340 3/4, 341", 341 1/4", 341 1/2", 341 3/4, 342", 342 1/4", 342 1/2", 342 3/4, 343", 343 1/4", 343 1/2", 343 3/4, 344", 344 1/4", 344 1/2", 344 3/4, 345", 345 1/4", 345 1/2", 345 3/4, 346", 346 1/4", 346 1/2", 346 3/4, 347", 347 1/4", 347 1/2", 347 3/4, 348", 348 1/4", 348 1/2", 348 3/4, 349", 349 1/4", 349 1/2", 349 3/4, 350", 350 1/4", 350 1/2", 350 3/4, 351", 351 1/4", 351 1/2", 351 3/4, 352", 352 1/4", 352 1/2", 352 3/4, 353", 353 1/4", 353 1/2", 353 3/4, 354", 354 1/4", 354 1/2", 354 3/4, 355", 355 1/4", 355 1/2", 355 3/4, 356", 356 1/4", 356 1/2", 356 3/4, 357", 357 1/4", 357 1/2", 357 3/4, 358", 358 1/4", 358 1/2", 358 3/4, 359", 359 1/4", 359 1/2", 359 3/4, 360", 360 1/4", 360 1/2", 360 3/4, 361", 361 1/4", 361 1/2", 361 3/4, 362", 362 1/4", 362 1/2", 362 3/4, 363", 363 1/4", 363 1/2", 363 3/4, 364", 364 1/4", 364 1/2", 364 3/4, 365", 365 1/4", 365 1/2", 365 3/4, 366", 366 1/4", 366 1/2", 366 3/4, 367", 367 1/4", 367 1/2", 367 3/4, 368", 368 1/4", 368 1/2", 368 3/4, 369", 369 1/4", 369 1/2", 369 3/4, 370", 370 1/4", 370 1/2", 370 3/4, 371", 371 1/4", 371 1/2", 371 3/4, 372", 372 1/4", 372 1/2", 372 3/4, 373", 373 1/4", 373 1/2", 373 3/4, 374", 374 1/4", 374 1/2", 374 3/4, 375", 375 1/4", 375 1/2", 375 3/4, 376", 376 1/4", 376 1/2", 376 3/4, 377", 377 1/4", 377 1/2", 377 3/4, 378", 378 1/4", 378 1/2", 378 3/4, 379", 379 1/4", 379 1/2", 379 3/4, 380",

Husky CHROME ALLOY

STANDARD TAPERED WALL SOCKET SETS

1/2" SQUARE DRIVE




No. 2137

A 16 piece Spinner Set with an 18" handle. This handle is light enough to spin the nuts on and off by rolling it between the palms of the hands, long enough to give ample leverage for the tough jobs. Flexible enough to be used as a Tee Handle, an offset handle, and at many angles. With the wide range of socket sizes, this set will take care of many difficult jobs.

It contains Fourteen 12 point sockets $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", 1", $1\frac{1}{16}$ " and $1\frac{1}{8}$ ", with an 18" Flex Handle and 8" Cross Bar. All parts Triple Chromium plated and packed in a Gray Damaskene finished steel box.

No. 2137—16 Piece Set—Packed 20 to a Case
Shipping Weight 9 Lbs. Each—List Price \$7.60



No. 2139

No. 2139—The popularity of this set is due to the universally recognized value of the 15" Flex Handle. It can be used as a spinner to spin on the nuts by rolling it between the palms of the hands, then can be swung to right angles for the tightening pull. The 15" length assures ample leverage for the stubborn nut, and it can be used just as effectively at practically any angle. By using the 8" Cross Bar it is instantly converted into a high grade Tee Handle. This Flex Handle and Cross Bar is packed in a strong steel box with 10—12 point sockets, $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ " and $\frac{15}{16}$ ". Sockets and Handle are 1/2" Square Standard Drive and are finished in Triple Chromium Plate. Box—15" x 2 1/4" x 1 5/8" finished in Gray Damaskene.


No. 2139—12 Piece Set—Shipping Weight 5 Lbs. Each
Packed 30 per Case—List Price \$5.40



No. 2147

Like No. 2139 this set has the popular Flex Tee Handle, only this one is 12" long making a set that takes up less room, but will do practically the same work. It contains ten 12 point sockets: $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ " and $\frac{15}{16}$ ". A 12" Flex Handle and 6" Cross Bar. All 1/2" square standard drive and finished in triple chromium plate. Packed in covered steel box.


No. 2147—12 Piece Set—Shipping Weight 4 1/2 Lbs. Ea.
Packed 50 to a Case—List Price \$5.12



No. 2138

A 16 piece set that every auto service man should have. Speeds up the repair jobs as you have the needed tools at your finger tips. It contains Twelve, 12 point sockets $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{25}{32}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ " and 1". A 10" and a 5" Socket Extension, 10 1/2" long standard Ratchet with Adapter.


No. 2138—16 Piece Set—Packed 50 to a Case
Shipping Weight 6 1/2 Lbs. Each—List Price \$7.90



No. 2140

No. 2140—Is a set for the mechanic who is just starting his kit of Chrome Wrenches and requires the more popular sizes in sockets and the few tools necessary for their use. There are 8—12 point sockets, $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ " and $\frac{7}{8}$ ". A 10 1/2" Forged Ratchet and Ratchet Adapter, 10" Socket Extension, and a Sliding Ell and Tee Handle. All are 1/2" Square Standard drive finished in Triple Chromium plate and packed in a steel box 10 1/2" x 2 1/2" x 1 3/4".

No. 2140—11 Piece Set—Shipping Weight 6 Lbs. Each
Packed 50 per Case—List Price \$6.30



No. 2148


A set that will appeal to the car owner who is not satisfied with anything but the best. Requires but little space but will cover a wide range of work. It contains eight 12 point sockets, $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ " and $\frac{13}{16}$ " with a 12" Flex Handle and 6" Cross Bar. All 1/2" square standard drive, Triple Chromium plate and packed in a covered steel box.

No. 2148—10 Piece Set—Shipping Weight 4 1/2 Lbs. Each
Packed 50 to a Case—List Price \$4.60

Husky CHROME ALLOY

STANDARD TAPERED WALL SOCKET SETS

1/4" AND 1/2" SQUARE DRIVE




No. 2160

This will undoubtedly be one of the best selling wrench sets of the year as it has the quantity, quality and variety of parts, in both chrome alloy and carbon steels. A set of thirty six pieces, selected with care, make it possible for the mechanic to handle satisfactorily an astonishing number of jobs. The many complete tools that can be built up from the combinations of these parts are more than will be found in the average tool kit.

There are Fourteen 12 Point double hex broached chrome alloy sockets in the following sizes: $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{25}{32}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", $\frac{31}{32}$ " and 1", a standard chrome alloy ratchet and adapter, screw driver adapter, 19" speeder, carbon slide tee handle, $7\frac{3}{4}$ " and $4\frac{1}{2}$ " adapters, valve grinder attachment, and three solid end drain plug sockets sizes: $\frac{7}{16}$ ", $\frac{9}{16}$ " and $\frac{5}{8}$ " and are all $\frac{1}{2}$ " square standard drive. There is also a complete $\frac{1}{4}$ " square drive chrome alloy Ignition Set made up of six 12 point sockets, $\frac{1}{4}$ ", $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ " and $\frac{7}{16}$ ". Three 8 point double square sockets, $\frac{1}{4}$ ", $\frac{5}{16}$ " and $\frac{3}{8}$ " with a 6" flex handle and 3" cross bar. This Ignition set is packed separately in a small steel covered box which is packed with the $\frac{1}{2}$ " square drive parts in a sturdy steel Tool Box 19" x 6" x $6\frac{1}{2}$ " equipped with lock and key.

No. 2160—36 Pc. Set—Std. Pkg. 10—Shipping Weight Each 14 Lbs.—List Price..... \$13.60



No. 2160C


For the mechanic who has ample room for additional tools and does not care to pay the extra charge for the box in which No. 2160 set is packed, we offer the same set in a heavy fibreboard box as No. 2160C. It contains 36 pieces. Fourteen 12 point double hex sockets: Sizes: $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{25}{32}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", $\frac{31}{32}$ ", and 1". Standard ratchet and adapter, screw driver adapter, 19" speeder, slide tee handle, valve grinder attachment, $7\frac{3}{4}$ " and $4\frac{1}{2}$ " adapters and three solid end drain plug sockets $\frac{7}{16}$ ", $\frac{9}{16}$ " and $\frac{5}{8}$ ", all $\frac{1}{2}$ " square drive. Six 12 point double hex ignition sockets $\frac{1}{4}$ ", $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ " and $\frac{7}{16}$ ". Three 8 point double square sockets $\frac{1}{4}$ ", $\frac{5}{16}$ " and $\frac{3}{8}$ " and a 6" flex handle with 3" cross bar in $\frac{1}{4}$ " sq. drive.

No. 2160C—36 Piece Set—Standard Package 10—Shipping Weight Each 11 Lbs.—List Price \$12.20

Husky CHROME ALLOY

STANDARD TAPERED WALL SOCKET SETS


1/4" AND 1/2" SQUARE DRIVE



No. 2131T

This assortment of thirty-seven chrome alloy tools is one that has proven very popular with auto mechanics. This set has the added feature of a handy roomy tool box, and convenient carrying tray. There is ample room for the complete set and also those special tools that every mechanic has. If the job requires only a few tools these can be placed in the tray, or the entire outfit can be easily carried because of the comfortable leather handle with which the box is equipped. Finished in Gray Damaskene with nickel plated catches and padlock hasp. With this collection of sockets and attachments many combinations are possible, making complete wrenches that will take care of a wide range of work. All parts are carefully machined, heat treated and hardened and triple chromium plated. This set contains Fourteen 12 point sockets $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", 1", $1\frac{1}{16}$ " and $1\frac{1}{8}$ ". Four 8 point sockets $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ " and $\frac{11}{16}$ ". One 10" long and one 5" long socket extension, a $10\frac{1}{2}$ " long standard Ratchet with short adapter, 15" flex handle and 8" Cross Bar, Slide Tee Handle and a 19" long speeder with $\frac{1}{2}$ " square drive. Also Six 12 point sockets $\frac{1}{4}$ ", $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ " and $\frac{7}{16}$ ". Three 8 point sockets $\frac{1}{4}$ ", $\frac{5}{16}$ " and $\frac{3}{8}$ ". A 6" Flex Handle and 3" Cross Bar with $\frac{1}{4}$ " square drive. Tool Box 19" x $5\frac{1}{2}$ " x 6".

No. 2131T—37 Piece Set in Tote Tray Box—Packed 4 to a Carton—Shipping Weight 22 Lbs. Each—List Price \$19.20



No. 2132

This set contains the same parts as No. 2131 T but is packed in a hinged cover steel box 19" x 7" x $1\frac{5}{8}$ ". There are Fourteen 12 pt. sockets $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", 1", $1\frac{1}{16}$ " and $1\frac{1}{8}$ ". Four 8 pt. sockets $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ " and $\frac{11}{16}$ ". One 10" long and one 5" long socket extension, standard ratchet with adapter, 15" flex handle, 8" cross bar, slide tee handle and a 19" speeder all with $\frac{1}{2}$ " square drive. Also six 12 point sockets $\frac{1}{4}$ ", $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ". Three 8 point sockets $\frac{1}{4}$ ", $\frac{5}{16}$ " and $\frac{3}{8}$ ", with a 6" Flex Handle and 3" Cross Bar with $\frac{1}{4}$ " square drive.


No. 2132—37 Piece Set—Packed 10 to a Case—Shipping Weight 16 Lbs. Each

List Price \$16.40

Husky CHROME ALLOY

STANDARD TAPERED WALL SOCKET SET

$\frac{1}{4}$ ", $\frac{3}{8}$ " AND $\frac{1}{2}$ " SQUARE DRIVE



No. 2127T

A fifty two piece set with tools in different size drives to fit a wide range of work. For a mechanic to do his best work at a minimum cost it is necessary to have tools that fit the job. If light tools are used on too heavy work the tools are very likely to suffer, causing a loss of time and money. If heavy tools are used on too light work, the parts are likely to suffer. And a few broken parts may cost more than the whole job is worth. This set offers the $\frac{1}{4}$ " square drive parts for light work, the $\frac{3}{8}$ " square drive parts for intermediate work and the $\frac{1}{2}$ " square drive for the heavier work. There are sockets in sizes from $\frac{1}{4}$ " to $1\frac{1}{8}$ " and all of the necessary handles. All parts carefully machined, heat treated and hardened and triple chromium plated. Packed in a convenient hip roofed tool box with a handy carrying tray. This box is finished in a rich Gray Damaskene and provided with a leather carrying handle, and measures 19" x 5 $\frac{1}{2}$ " x 6".

CONTENTS

$\frac{1}{4}$ " SQUARE DRIVE

Six 12 point sockets $\frac{1}{4}$ ", $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ " and $\frac{7}{16}$ ". Three 8 point sockets $\frac{1}{4}$ ", $\frac{5}{16}$ " and $\frac{3}{8}$ ". A 6" Flex Handle and 3" Cross Bar. All packed in Individual Metal Box.

$\frac{3}{8}$ " SQUARE DRIVE

Eight 12 point sockets $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ " and $\frac{3}{4}$ ". Three 8 point sockets $\frac{1}{4}$ ", $\frac{5}{16}$ " and $\frac{3}{8}$ ". A 10" Flex Handle with 6" Cross Bar, Standard Ratchet, $\frac{3}{8}$ " Square Adapter, 1" long and $\frac{1}{4}$ " to $\frac{3}{8}$ " Adapter.

$\frac{1}{2}$ " SQUARE DRIVE

Fourteen 12 point sockets $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", 1", 1 $\frac{1}{16}$ " and 1 $\frac{1}{8}$ ". Four 8 point sockets $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ " and 1 $\frac{1}{16}$ ". A 10 $\frac{1}{2}$ " long Reversible Ratchet, 15" Flex Handle with 8" Cross Bar, 10" and 5" Socket Extensions, 10" Slide Tee Handle and a 19" Long Speeder.

No. 2127T—52 Piece Set—Packed 4 to a Carton—Shipping Weight 26 Lbs. Each—List Price \$25.20

No. 2128T—40 Piece Set in 19" Tool Box with Tote Tray, leather carrying handle, and equipped with padlock hasp. It contains 15 $\frac{3}{8}$ " square drive parts made up of eight 12 point sockets: $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ " and $\frac{3}{4}$ ". Three 8 point sockets $\frac{1}{4}$ ", $\frac{5}{16}$ " and $\frac{3}{8}$ ", a 10" Flex Handle with 6" Cross Bar, Standard Ratchet and $\frac{3}{8}$ " Square Adapter 1" long. Twenty five $\frac{1}{2}$ " square drive parts, made up of 14 twelve point sockets $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", 1", 1 $\frac{1}{16}$ " and 1 $\frac{1}{8}$ ". Four 8 point sockets $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ " and 1 $\frac{1}{16}$ ". Reversible Ratchet, 15" Flex Handle with 8" Cross Bar, 10" and 5" Socket Extension, 10" Slide Tee Handle and a 19" long Speeder.


Packed 4 to a Carton—Shipping Weight 25 Lbs. Each—List Price \$22.80

Husky CHROME ALLOY

STANDARD TAPERED WALL SOCKET DISPLAY SETS

$\frac{1}{4}$ ", $\frac{3}{8}$ " and $\frac{1}{2}$ " SQUARE DRIVE


The Husky Display Container in which these sets are packed is the answer to the question of how best to display a wrench set. Each of the different units that goes to make up the set is clearly shown, even the socket sizes may be checked without removing a single item from the container. Yet all parts are securely locked in. One of these sets placed on the counter will attract more attention than the ordinary show card and takes up less room. There are very few customers who are at all interested in tools who will not stop to look it over. It can be examined closely and handled freely without danger of pilferage as all parts are firmly locked in. Upon closer examination the masterly workmanship and rich chromium finish of the Husky tools will do the rest, and another sale has been made. All of the units are packed in a simple layer, so that the entire set is but slightly thicker than the largest socket. Even the largest sets are therefore so thin that they will readily slip into any car pocket, or if they are to be kept in the garage there are holes provided in the case so that it can be fastened to the wall where it can always be found. When required for use just loosen the thumb screws and take out the handle, the sockets then rest in an open tray from which the desired size may be selected without confusion or search. The cases for these Chrome sets have a rich gray damaskene finish which forms a striking background for the brilliant chromium plated tools, making an attention commanding display.



No. 2141D

No. 2141D is one of the best selling Chrome wrench sets on the market. It contains a 15" long Flex Handle with an 8" Cross Bar and 10—12 point Sockets, $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", and $\frac{15}{16}$ ", all $\frac{1}{2}$ " Square Standard drive and all finished in Triple Chromium Plate, with Display Case finished in gray damaskene.

No. 2141D—12 Piece Set—Shipping Weight $4\frac{3}{4}$ Lbs. Each—Packed 25 per Case—List Price \$5.36



No. 2142D

No. 2142D—This set can be sold at an amazingly low price for a high quality chrome set. There are 10—12 point sockets, Sizes: $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{25}{32}$ ", $\frac{13}{16}$ " with a 12" Long Flex Handle, all $\frac{1}{2}$ " Square Standard drive and all of the regular Husky standard quality and finish, packed in gray damaskene display case.

No. 2142D—11 Piece Set—Shipping Weight $4\frac{1}{2}$ Lbs. Each
Packed 25 per Case—List Price \$4.92



No. 2230D

No. 2230D—This is a display set made up of Husky parts. The $\frac{3}{8}$ " square drive that is so popular with all service and repair men, and a favorite with airmen because of their light weight, ease in handling and positive grip. There are 7—12 point sockets, $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ " and $\frac{3}{4}$ ". 3—8 point sockets, $\frac{1}{4}$ ", $\frac{5}{16}$ " and $\frac{3}{8}$ ", with a 10" long Flex Handle and 6" Cross Bar, all Triple Chromium plated, and packed in a gray damaskene finished Display Case.

No. 2230D—12 Piece Set—Shipping Weight $1\frac{3}{4}$ Lbs. Each
Packed 25 per Case—List Price \$4.10



No. 2277

No. 2277—The socket sizes in this set have been chosen to take care of those delicate adjustments on Magnetos, Timers, Wiring connections, Carburetors, etc. where heavier sockets would be clumsy and damaging. There are 6—12 point sockets, $\frac{1}{4}$ ", $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ " and $\frac{7}{16}$ ", 3—8 point sockets, $\frac{1}{4}$ ", $\frac{5}{16}$ " and $\frac{3}{8}$ ". With a 6" long Flex Handle and Cross Bar. All parts $\frac{1}{4}$ " Square Drive and Triple Chromium plated. Packed in gray damaskene finished Display Case.

No. 2277—12 Piece Set—Shipping Weight $\frac{3}{4}$ Lbs. Each—Packed 50 per Case—List Price \$2.28

Husky

HEAVY DUTY CHROME SOCKETS AND ATTACHMENTS DISPLAY BOARDS

3/4" SQUARE DRIVE

THIS DISPLAY BOARD CONTAINS ONE
EACH OF THE FOLLOWING PARTS

Number	DESCRIPTION	List Price
H4130	8" Socket Extension	\$1.56
H4134	16" Socket Extension	1.86
H4138	18" Slide Tee Handle	2.28
H4147	19" Flex Handle	5.16
H4148	12" Cross Bar	1.04
H4110	7/8" 12 Pt. Socket	.66
H4111	1 1/8" " " "	.69
H4112	1 1/4" " " "	.69
H4113	1 1/2" " " "	.69
H4114	1 5/8" " " "	.81
H4115	1 3/4" " " "	.90
H4116	1 7/8" " " "	.99
H4117	2" " " "	.99
H4118	2 1/8" " " "	1.11
H4119	2 1/4" " " "	1.17
H4120	2 3/8" " " "	1.32
H4121	2 1/2" " " "	1.41
H4122	2 5/8" " " "	1.47
H4123	2 3/4" " " "	1.50
H4124	2 7/8" " " "	1.98
H4125	3" " " "	2.10
H4126	3 1/8" " " "	2.34
H4127	3 1/4" " " "	2.40
H4128	3 1/2" " " "	2.82
H4129	3 3/4" " " "	3.54

The sale of individual sockets and handles is a very substantial part of the business done with the 3/4" square Drive Heavy Duty Chrome alloy tools. These sales will be greatly increased by the use of this Display. It contains a full line of sockets in sizes from 7/8" to 2 3/4", together with the essential handles. The board is beautifully finished in a rich Gray, which makes a splendid background for the triple Chromium plated tools. A display that cannot be overlooked. Individual parts may be purchased in any quantities to replenish the stock. You purchase the parts only, paying the regular price; we furnish the Display Board. Only the assortment shown above can be supplied when ordering one of these boards. Size 32 3/4" x 18 3/4".



No. 2100C

No. 2100C—HEAVY DUTY DISPLAY BOARD—SHIPPING WEIGHT 65 LBS.—LIST PRICE..... \$41.48

Husky

HEAVY DUTY CHROME SOCKET SETS

$\frac{3}{4}$ " SQUARE DRIVE



No. 2103

No. 2103—A FOURTEEN PIECE SET—PACKED 10 PER CASE—SHIPPING WEIGHT 21 LBS.—LIST PRICE \$17.90

No. 2101—A 10 piece Heavy Duty $\frac{3}{4}$ " Square drive set in hinged cover steel box with leather carrying handle. It contains Seven 12 point sockets, $1\frac{1}{16}$ ", $1\frac{1}{8}$ ", $1\frac{1}{4}$ ", $1\frac{3}{8}$ ", $1\frac{7}{16}$ ", $1\frac{1}{2}$ ", and $1\frac{5}{8}$ ". An 18" Slide Tee Handle, a 16" and an 8" Socket extension.

Packed 10 to a Case—Shipping Weight 18 Lbs. Each—List Price \$15.30

12 PIECE HEAVY DUTY SET

A twelve piece Heavy Duty Set for work in railroad shops and yards, industrial plants, around busses and trucks, and wherever large size bolts and nuts are used. This set has a 19" Flex handle built to take those large tough jobs that require an extra powerful leverage to break loose. With the cross bar and sockets, ten heavy Tee Handles can be made. The lock on feature removes all danger of the sockets working loose. There are in this set ten 12 point sockets, $1\frac{1}{16}$ ", $1\frac{1}{8}$ ", $1\frac{1}{4}$ ", $1\frac{3}{8}$ ", $1\frac{7}{16}$ ", $1\frac{1}{2}$ ", $1\frac{5}{8}$ ", $1\frac{3}{4}$ ", $1\frac{13}{16}$ ", and $1\frac{7}{8}$ ". A 19" Flex Handle and Cross Bar. All with triple chromium finish and packed in a heavy steel Gray damaskene finished box with nickel catches and padlock hasp and a leather carrying handle.



No. 2102

No. 2102—12 PIECE SET—PACKED 10 PER CASE—SHIPPING WEIGHT 20 LBS.—LIST PRICE \$22.30

Husky

HEAVY DUTY CHROME SOCKETS AND ATTACHMENTS

$\frac{3}{4}$ " SQUARE DRIVE



On those heavy jobs where superior strength and durability are required we recommend the Husky Heavy Duty sockets and fittings. No well equipped shop or garage can afford to be without these tools that will so readily handle those large bolts and nuts whose use is increasing daily. The larger and heavier cars, trucks, and busses can best be served by a plant with the proper tools. This line gives you the product of many years experience in manufacturing quality tools. Material, design, and construction are the result of this long experience. Sockets that will fit the job, and are securely locked on the handles by the keyless locking feature; that will stand the strain and that are attractively finished in triple chromium plate.

12 POINT HEAVY DUTY SOCKETS

Number	Size	List Price	Number	Size	List Price
H4110	$\frac{7}{8}$ "	\$0.66	H4120	$1\frac{7}{16}$ "	\$1.32
H4111	$\frac{15}{16}$ "	.69	H4121	$1\frac{1}{2}$ "	1.41
H4112	$\frac{31}{32}$ "	.69	H4122	$1\frac{9}{16}$ "	1.47
H4113	1"	.69	H4123	$1\frac{5}{8}$ "	1.50
H4114	$1\frac{1}{16}$ "	.81	H4124	$1\frac{11}{16}$ "	1.98
H4115	$1\frac{1}{8}$ "	.90	H4125	$1\frac{3}{4}$ "	2.10
H4116	$1\frac{3}{16}$ "	.99	H4126	$1\frac{13}{16}$ "	2.34
H4117	$1\frac{1}{4}$ "	.99	H4127	$1\frac{7}{8}$ "	2.40
H4118	$1\frac{5}{16}$ "	1.11	H4128	2"	2.82
H4119	$1\frac{3}{8}$ "	1.17	H4129	$2\frac{3}{16}$ "	3.54



HEAVY DUTY FLEX HANDLE
Nos. H4147-H4148

Combining the strength required for Heavy Duty work with the flexibility of lighter tools. A length of 19" to provide ample leverage. It can be used as an offset Ell Handle as a regulation Tee Handle with the Cross Bar, as a spinner handle, or at various angles. Made from Chrome Alloy steel, properly heat treated, and triple chromium finished.

No. H4147—Packed 12 to a Carton—Shipping Wgt. Ea. $4\frac{1}{2}$ Lbs.
List Price \$5.16



No. H4138


Heavy Duty Slide Tee Handle may be used as an offset handle and in combination with the Socket Extension as a Tee Handle, and many other possible combinations with the Heavy Duty sockets and fittings that will reach those difficult places. It is 18" long and built for hard service.

No. H4138—Packed 12 to a Carton—Shipping Wgt. Ea. $3\frac{1}{2}$ Lbs.
List Price \$2.28

Cross Bar No. H4148

A 12" Cross Bar is provided for use with Flex Handle No. H4147.

No. H4148—Packed 12 to a Carton—Shipping Wgt. Ea. 14 Oz.
List Price \$1.02



No. H4130

The 8" Socket Extension will fit the desired combination on some jobs better than the longer one. Like all the Heavy Duty Sockets and Fittings, shown on this page, it is accurately machined, heat treated, and finished in Triple Chromium Plate.

No. H4130—Packed 12 to a Carton—Ship. Wgt. Ea. 1 Lb. 3 Oz.
List Price \$1.56



No. H4134

The 16" Socket Extension is an essential part of a Heavy Duty Tool Kit. In combination with the Sliding Tee Handle or Flex Handle, many complete tools may be built up for particular jobs that would otherwise require expensive special tools.

No. H4134—Packed 12 to a Carton—Shipping Wgt. Ea. 2 Lbs.
List Price \$1.86

Husky


CHROME MOLYBDENUM 12 POINT BOX END WRENCHES

Drop Forged from Chrome Molybdenum Steel, with 12 Pt. openings and comfortably shaped handle for work in close quarters. Both ends offset, thin head walls permit use where clearance is limited. Light in weight, but they have the exceptional strength made possible by the use of this alloy steel. These wrenches are ideal for use on connecting rods, main bearings, cylinder head, spring clips, and in awkward places. Can be supplied individually in standard packages.

LONG 45° TYPE

**DROP
FORGED**

**RUST
PROOF**



$\frac{3}{8}$ " and $\frac{7}{16}$ "—7½" Long

$\frac{1}{2}$ " and $\frac{9}{16}$ "—8¼" Long

$\frac{5}{8}$ " and $\frac{11}{16}$ "—9½" Long

$\frac{3}{4}$ " and $\frac{25}{32}$ "—11" Long

$\frac{13}{16}$ " and $\frac{7}{8}$ "—12¾" Long

$\frac{15}{16}$ " and 1"—14" Long

Cat. No.	Finish	Openings	Net Wgt. Each	Std. Pkg.	List Price	Cat. No.	Finish	Openings	Net Wgt. Each	Std. Pkg.	List Price
2301	Cadmium Finish	$\frac{3}{8}$ " and $\frac{7}{16}$ "	3 oz.	12	.34	2307	Full Fin. Pol. Ends	$\frac{3}{8}$ " and $\frac{7}{16}$ "	3 oz.	12	.40
2302	"	$\frac{1}{2}$ " and $\frac{9}{16}$ "	4 "	12	.40	2308	"	$\frac{1}{2}$ " and $\frac{9}{16}$ "	4 "	12	.46
2303	"	$\frac{5}{8}$ " and $\frac{11}{16}$ "	7 "	12	.44	2309	"	$\frac{5}{8}$ " and $\frac{11}{16}$ "	7 "	12	.52
2304	"	$\frac{3}{4}$ " and $\frac{25}{32}$ "	10 "	12	.48	2310	"	$\frac{3}{4}$ " and $\frac{25}{32}$ "	10 "	12	.62
2305	"	$\frac{13}{16}$ " and $\frac{7}{8}$ "	15 "	6	.58	2311	"	$\frac{13}{16}$ " and $\frac{7}{8}$ "	15 "	6	.80
2306	"	$\frac{15}{16}$ " and 1"	19 "	6	.70	2312	"	$\frac{15}{16}$ " and 1"	19 "	6	1.00

Catalog Number	DESCRIPTION	Std. l kg.	Shp'g Wgt. Each	List Price	Catalogue Number	DESCRIPTION	Std. Pkg.	Shp'g Wgt. Each	List Price
2313C	Five Drop Forged Chrome Molybdenum Box End Wrenches, Cadmium Finish, Packed in a Chipboard Box. One each Nos. 1601, 1602, 1603, 1604, and 1605.	25	3	2.24	2315G	Five Drop Forged Chrome Molybdenum Box End Wrenches, Full Finish, Polished Ends, packed in a Chip Board Box. One each Nos. 1611, 1612, 1613, 1614, and 1615.	25	3	2.80
2313	Same as No. 1655C except the Wrenches are packed in a Canvas Bag.	25	3	2.24	2315	Same as No. 1665G except the Wrenches are packed in a Canvas Bag.	25	3	2.80
2314C	Six Drop Forged Chrome Molybdenum Box End Wrenches, Cadmium Finish, Packed in a Chip Board Box. One each, Nos. 1601, 1602, 1603, 1604, 1605, and 1606.	25	4¼	2.94	2316G	Six Drop Forged Chrome Molybdenum Box End Wrenches, Full Finish, Polished Ends, packed in a Chip Board Box. One each Nos. 1611, 1612, 1613, 1614, 1615, and 1616.	25	4¼	3.80
2314	Same as No. 1656C except the Wrenches are packed in a Canvas Bag.	25	4¼	2.94	2316	Same as No. 1666G except the Wrenches are packed in a Canvas Bag.	25	4¼	3.80

Husky SHORT TYPE BOX END WRENCHES

The new short type Box End Wrenches shown below are forged from Chrome Vanadium Steel, carefully heat treated and tempered to give toughness and strength and designed for tight places where the larger type cannot be used. Full finished buffed ends.




SHORT 45° TYPE

No. 2317	$\frac{3}{8}$ " and $\frac{7}{16}$ "	4½" Long	.36
No. 2318	$\frac{1}{2}$ " and $\frac{9}{16}$ "	5¼" Long	.40
No. 2319	$\frac{5}{8}$ " and $\frac{11}{16}$ "	6¼" Long	.44

SHORT 15° TYPE

No. 2320	$\frac{3}{8}$ " and $\frac{7}{16}$ "	4" Long	.36
No. 2321	$\frac{1}{2}$ " and $\frac{9}{16}$ "	4½" Long	.40
No. 2322	$\frac{5}{8}$ " and $\frac{11}{16}$ "	5" Long	.44



List Price
No. 2323—Set of 3 Pieces as above in Canvas Bag — 1.20
No. 2323-C—Set of 3 Pieces as above in Carton — 1.20


List Price
No. 2324—Set of 3 Pieces as above in Canvas Bag — 1.20
No. 2324-C—Set of 3 Pieces as above in Carton — 1.20

Husky DROP FORGED CHROME ALLOY WRENCHES

TRIPLE CHROMIUM PLATE, POLISHED ENDS

LONG 10° ANGLE TYPE BOX END WRENCHES

A perfectly balanced wrench with straight handle which allows them to be used in many corners where an offset would be awkward. The 10 degree angle head provides handle clearance. Different size openings in each head makes each wrench do double duty.



Number	Size	Length	SAE	USS Nuts	USS Cap Screw	List Price
H-4752	$\frac{3}{8}$ " and $\frac{7}{16}$ "	$7\frac{3}{4}$ "	$\frac{1}{4}$ "	$\frac{3}{16}$ " and $\frac{1}{4}$ "	\$0.53
H-4753	$\frac{1}{2}$ " and $\frac{9}{16}$ "	$8\frac{1}{2}$ "	$\frac{5}{16}$ " and $\frac{3}{8}$ "	$\frac{1}{4}$ "	$\frac{5}{16}$ " and $\frac{3}{8}$ "	.60
H-4754	$\frac{5}{8}$ " and $\frac{3}{4}$ "	$9\frac{3}{4}$ "	$\frac{7}{16}$ " and $\frac{1}{2}$ "	$\frac{7}{16}$ " and $\frac{1}{2}$ "	.76
H-4755	$\frac{13}{16}$ " and $\frac{7}{8}$ "	11"	$\frac{9}{16}$ "	$\frac{1}{2}$ "	$\frac{9}{16}$ " and $\frac{5}{8}$ "	.86




No. 2332


Like all good tools these wrenches are easy to use. There is sufficient knuckle clearance due to the offset heads, and yet you have the same accessibility as with a straight wrench. They will not tip or slip off when pressure is applied. There are different 12 point openings in each head and the thin side walls allow their use in tight places. Finished in rich chromium plate with polished heads.

No. 2332—SET OF 4—IN CARTON—STANDARD PACKAGE 25—SHIPPING WEIGHT EACH 2 LBS.—LIST PRICE \$2.76

BOX AND OPEN END WRENCHES



Number	Size	Length	SAE	USS Nut	USS Cap Screw	List Price
H-4739	$\frac{7}{16}$ "	$5\frac{1}{4}$ "	$\frac{1}{4}$ "	$\frac{1}{4}$ "	\$0.54
H-4740	$\frac{1}{2}$ "	6"	$\frac{5}{16}$ "	$\frac{1}{4}$ "	$\frac{5}{16}$ "	.60
H-4741	$\frac{9}{16}$ "	$6\frac{3}{4}$ "	$\frac{3}{8}$ "	$\frac{3}{8}$ "	.72
H-4742	$\frac{5}{8}$ "	$7\frac{3}{4}$ "	$\frac{7}{16}$ "	$\frac{7}{16}$ "	.78
H-4743	$\frac{11}{16}$ "	$8\frac{1}{2}$ "	$\frac{3}{8}$ "90
H-4744	$\frac{3}{4}$ "	$9\frac{1}{2}$ "	$\frac{1}{2}$ "	$\frac{1}{2}$ "	.99



No. 2333

These dual use wrenches are daily becoming more popular especially with the automotive mechanic. They are particularly adaptable to work on carburetor, manifold, clutch, generator, and starter, to mention only a few of their uses. The angle of the open end is set at 15 degrees for greatest efficiency, and the twelve point box end is offset at 15 degrees for clearance of obstructions. Both ends have the same size openings. Attractively chrome satin finished with polished ends.

No. 2333—SET OF 6 IN CARTON

STANDARD PKG. 25—SHIPPING WGT. EACH $2\frac{1}{2}$ LBS.—LIST PRICE \$4.53

No. 2334— " " 4 " " Nos. 4739 to 4742

" " 25

"

"

"

"

$1\frac{1}{2}$ LBS.— " " 2.64




Husky DROP FORGED CHROME ALLOY WRENCHES


TRIPLE CHROMIUM PLATE, POLISHED ENDS

LONG 10° ANGLE TYPE BOX END WRENCHES

A perfectly balanced wrench with straight handle which allows them to be used in many corners where an offset would be awkward. The 10 degree angle head provides handle clearance. Different size openings in each head makes each wrench do double duty.



Number	Size	Length	SAE	USS Nuts	USS Cap Screw	List Price
H-4752	$\frac{3}{8}$ " and $\frac{7}{16}$ "	$7\frac{3}{4}$ "	$\frac{1}{4}$ "	$\frac{3}{16}$ " and $\frac{1}{4}$ "	\$0.53
H-4753	$\frac{1}{2}$ " and $\frac{9}{16}$ "	$8\frac{1}{2}$ "	$\frac{5}{16}$ " and $\frac{3}{8}$ "	$\frac{1}{4}$ "	$\frac{5}{16}$ " and $\frac{3}{8}$ "	.60
H-4754	$\frac{5}{8}$ " and $\frac{3}{4}$ "	$9\frac{3}{4}$ "	$\frac{7}{16}$ " and $\frac{1}{2}$ "	$\frac{7}{16}$ " and $\frac{1}{2}$ "	.76
H-4755	$\frac{13}{16}$ " and $\frac{7}{8}$ "	11"	$\frac{9}{16}$ "	$\frac{1}{2}$ "	$\frac{9}{16}$ " and $\frac{5}{8}$ "	.86




No. 2332


Like all good tools these wrenches are easy to use. There is sufficient knuckle clearance due to the offset heads, and yet you have the same accessibility as with a straight wrench. They will not tip or slip off when pressure is applied. There are different 12 point openings in each head and the thin side walls allow their use in tight places. Finished in rich chromium plate with polished heads.

No. 2332—SET OF 4—IN CARTON—STANDARD PACKAGE 25—SHIPPING WEIGHT EACH 2 LBS.—LIST PRICE \$2.76

BOX AND OPEN END WRENCHES



Number	Size	Length	SAE	USS Nut	USS Cap Screw	List Price
H-4739	$\frac{7}{16}$ "	$5\frac{1}{4}$ "	$\frac{1}{4}$ "	$\frac{1}{4}$ "	\$0.54
H-4740	$\frac{1}{2}$ "	6"	$\frac{5}{16}$ "	$\frac{1}{4}$ "	$\frac{5}{16}$ "	.60
H-4741	$\frac{9}{16}$ "	$6\frac{3}{4}$ "	$\frac{3}{8}$ "	$\frac{3}{8}$ "	.72
H-4742	$\frac{5}{8}$ "	$7\frac{3}{4}$ "	$\frac{7}{16}$ "	$\frac{7}{16}$ "	.78
H-4743	$\frac{11}{16}$ "	$8\frac{1}{2}$ "	$\frac{3}{8}$ "90
H-4744	$\frac{3}{4}$ "	$9\frac{1}{2}$ "	$\frac{1}{2}$ "	$\frac{1}{2}$ "	.99



No. 2333

These dual use wrenches are daily becoming more popular especially with the automotive mechanic. They are particularly adaptable to work on carburetor, manifold, clutch, generator, and starter, to mention only a few of their uses. The angle of the open end is set at 15 degrees for greatest efficiency, and the twelve point box end is offset at 15 degrees for clearance of obstructions. Both ends have the same size openings. Attractively chrome satin finished with polished ends.

No. 2333—SET OF 6 IN CARTON


STANDARD PKG. 25—SHIPPING WGT. EACH $2\frac{1}{2}$ LBS.—LIST PRICE \$4.53

No. 2334— " " 4 " " Nos. 4739 to 4742 " " 25 " " " " 1 $\frac{1}{2}$ LBS.— " " 2.64

Husky IGNITION SOCKET WRENCH SETS

1/4" HEX DRIVE

Ignition Sets that will satisfactorily do the work of sets that cost three or four times as much. The sockets are just the right sizes for those delicate adjustments on Magnetos, Timers, Generators, Wiring Connections, Carburetors, Radios, etc. An adapter to which sockets may be attached, a 1/4" hex extension and ell handle make a very complete Ignition set. Steel parts are bright cadmium finished and packed in a hinged cover metal box in gray enamel.




No. 2705

7 Piece Set 1/4" Hex Drive

An Ignition or radio set for every repair kit. Can be used as a spinner set as the sockets fit snugly on the adapter. It contains Five hex sockets 1/4", 5/16", 3/8", 7/16" and 1/2". An Internal Knurled Socket, a Screw Driver Socket and a 7 1/2" Wood Handle. All bright cadmium finished and packed in a cardboard box.

Packed 50 per Case—Shipping Weight 5 Oz. Each
List Price \$0.50




No. 2703

11 Piece Set 1/4" Hex Drive

This set may save more than its cost on a single job, because the tools are small enough to avoid broken parts. The little jobs that usually cost more than they are worth can be handled with this set at a profit. It contains Five Hex Sockets 1/4", 5/16", 3/8", 7/16" and 1/2". One Internal Knurled Socket. Two Square Sockets 1/4" and 5/16". A Wood Handle Screw Driver Adapter 6" long—4 3/4" long Ell Handle and a 3 3/4" Socket Extension. All bright cadmium finished and packed in a steel box.


Packed 50 per Case—Shipping Weight 1 Lb. Each
List Price \$0.92



No. 2704

A 13 piece 1/4" hex drive set that should be in the tool box of every home or car owner. There are hundreds of little jobs that can be taken care of by the possible combinations in this set. It contains Seven Hex Sockets 3/16", 1/4", 5/16", 11/32", 3/8", 7/16" and 1/2". Two Square sockets 1/4" and 5/16". One Internal Knurled Socket. A Slide Tee Handle, a 6" Adapter and a 3/4" long adapter. All 1/4" Hex drive and bright cadmium plated. Packed in a steel box.

No. 2704—Packed 50 per Carton—Shipping Weight 1 Lb. Each
List Price \$1.10




No. 2702

Ignition Set

Hexagon Broached Sockets

A splendid little addition to any socket set. Inexpensive, but a time and money saver. There are Seven heat treated hexagon broached Midget sockets, strung on a 5" long Ell Handle. All 1/4" hex drive, and all bright cadmium finished. Sizes 1/4", 5/16", 11/32", 3/8", 7/16", 1/2" and an Internal Knurled socket.

No. 2702—8 Piece Set—Shipping Weight 1/4 Lb. Each
Standard Package 100—List Price \$0.32



No. 2701

A Midget set that is rapidly coming to the front as one of our best selling numbers. The time and labor saving sockets and Ell handle attractively packed in a real Container. There are Seven heat treated hexagon sockets 1/4", 5/16", 11/32", 3/8", 7/16", 1/2" and an Internal Knurled socket, locked in the steel container with the Ell Handle. Sockets and handle bright cadmium plated. Container gray enamel finish.

No. 2701—8 Piece Set—Shipping Weight 1/4 Lb. Each
Standard Package 100—List Price \$0.34

Husky SPINNER WRENCHES

There are millions of little nuts everywhere, on the automobile, in the home, in the electrical shop, in the Radio Shop, in the Industrial Plant. They can only be handled with unusually small sockets. For these delicate adjustments the Husky Spinner Wrenches give the most perfect satisfaction. Built like a screw driver with hexagon sockets on the end that will grip the nut firmly.

The shanks are made from $\frac{1}{4}$ " hexagon rod and can be gripped with a wrench or pliers if necessary to loosen a tough nut. The end of the shank is hollow so the socket will reach down over the screw and grip the nut.

Supplied in eleven sizes from $\frac{3}{16}$ " to $1\frac{5}{8}$ " and also an internal knurled socket, graduated in size to take care of knurled nuts without distorting them. Any size may be had in either a six or nine inch straight length or in bent handle style as shown. A wood handle with black rubberoid finish, and a bright cadmium finish on the shank and sockets make the Husky Spinner Wrench as attractive as it is practical.




9" LONG STRAIGHT					6" LONG STRAIGHT					6" LONG BENT				
Number	Size	Std. Pkg.	Wgt. Per Doz. Lbs.	List Price	Number	Size	Std. Pkg.	Wgt. Per Doz. Lbs.	List Price	Number	Size	Std. Pkg.	Wgt. Per Doz. Lbs.	List Price
H3143	$\frac{3}{16}$ "	12	2 $\frac{1}{2}$	\$0.18	H3150	$\frac{3}{16}$ "	12	1 $\frac{1}{2}$	\$0.16	H3360	$\frac{3}{16}$ "	12	1 $\frac{1}{2}$	\$0.18
H3144	$\frac{1}{4}$ "	12	2 $\frac{1}{2}$.18	H3151	$\frac{1}{4}$ "	12	1 $\frac{1}{2}$.16	H3361	$\frac{1}{4}$ "	12	1 $\frac{1}{2}$.18
H4349	$\frac{9}{32}$ "	12	2 $\frac{1}{2}$.18	H4348	$\frac{9}{32}$ "	12	1 $\frac{1}{2}$.16	H4350	$\frac{9}{32}$ "	12	1 $\frac{1}{2}$.18
H3145	$\frac{5}{16}$ "	12	2 $\frac{1}{2}$.18	H3152	$\frac{5}{16}$ "	12	1 $\frac{1}{2}$.16	H3362	$\frac{5}{16}$ "	12	1 $\frac{1}{2}$.18
H3146	$\frac{11}{32}$ "	12	2 $\frac{1}{2}$.18	H3153	$\frac{11}{32}$ "	12	1 $\frac{1}{2}$.16	H3363	$\frac{11}{32}$ "	12	1 $\frac{1}{2}$.18
H3147	$\frac{3}{8}$ "	12	2 $\frac{3}{4}$.18	H3154	$\frac{3}{8}$ "	12	1 $\frac{3}{4}$.16	H3364	$\frac{3}{8}$ "	12	1 $\frac{3}{4}$.18
H3148	$\frac{7}{16}$ "	12	2 $\frac{3}{4}$.18	H3155	$\frac{7}{16}$ "	12	1 $\frac{3}{4}$.16	H3365	$\frac{7}{16}$ "	12	1 $\frac{3}{4}$.18
H3398	$\frac{1}{2}$ "	12	2 $\frac{3}{4}$.18	H4505	$\frac{1}{2}$ "	12	1 $\frac{3}{4}$.16	H4301	$\frac{1}{2}$ "	12	1 $\frac{3}{4}$.18
H4360	$\frac{9}{16}$ "	12	2 $\frac{3}{4}$.18	H4362	$\frac{5}{8}$ "	12	1 $\frac{3}{4}$.16	H4364	$\frac{5}{8}$ "	12	1 $\frac{3}{4}$.18
H4363	$\frac{5}{8}$ "	12	2 $\frac{3}{4}$.18	H4359	$\frac{9}{16}$ "	12	1 $\frac{3}{4}$.16	H4361	$\frac{9}{16}$ "	12	1 $\frac{3}{4}$.18
H3358	I.K.*	12	2 $\frac{1}{2}$.18	H3359	I.K.	12	1 $\frac{1}{2}$.16	H3366	I.K.	12	1 $\frac{1}{2}$.18

*Round Internal Knurled Socket

Husky CARBON SOCKET WRENCHES

$\frac{3}{8}$ " HEX DRIVE

The Husky Wrenches $\frac{3}{8}$ " Hex Drive have been added to this line in the interest of both efficiency and economy. For efficient service it is essential that the tools fit the job. Delicate work on small parts can be performed far more easily and satisfactorily if tools that correspond with the size of the work are used. The use of larger and heavier tools will often cause breakage or distortion of parts that will cost more than would a complete set of these tools. No matter how complete a set of larger wrenches a mechanic may have, he will find it real economy to add one of these sets to his tool kit. The same careful selection of materials and accurate workmanship that is found in all Husky Wrenches, is maintained in these tools. They are heat treated and hardened, tempered to give maximum service and strength, and finished in bright cadmium.




No. 2651

No. 2651—13 Piece Husky Set to meet the demand of the man who does his own minor repair work, around the house and the car. There are sockets ranging from $\frac{9}{32}$ " to $\frac{5}{8}$ ", and a full equipment of attachments. This set contains nine hexagon sockets, $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{15}{32}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ " and $\frac{5}{8}$ ". A Ratchet and Adapter, Slide Tee Handle, and 5" long Socket Extension. All bright cadmium plated and packed in a steel box.

Packed 50 to a Carton—Shipping Weight $1\frac{1}{2}$ Lbs. Each

List Price \$1.64




No. 2653

No. 2653—A Ten piece set containing nine hexagon sockets, $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{15}{32}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ " and a $7\frac{1}{4}$ " Ell Handle. Cadmium finished in gray Enameled Steel Box.

Packed 50 to a Case—Shipping Weight 1 Lb. Each

List Price \$0.66




No. H4557

REFRIGERATOR RATCHET

These ratchets were made for repair work on refrigerators, and are equally useful on many other light repair jobs. The openings in the Ratchet heads are $\frac{1}{4}$ " and $\frac{5}{16}$ " square to fit valve stems for adjusting expansion valves, and there is a $\frac{1}{4}$ " square opening in the handle end.

No. H4557— $\frac{1}{4}$ " Square Ratchet Opening
Shipping Weight 6 Oz. Each—List Price \$0.48

No. H4555— $\frac{5}{16}$ " Square Ratchet Opening
Shipping Weight 6 Oz. Each—List Price \$0.48




No. H4031

HUSKY RATCHET

A convenient and useful tool. Well made with case hardened gear and pawl. Six inches long with a $\frac{3}{8}$ " Hex opening in the ratchet head and a $\frac{1}{4}$ " square opening in the handle end.


No. H4031—Husky Ratchet Wrench
Shipping Weight 6 Oz. Each—List Price \$0.48



No. H3993

$\frac{3}{8}$ " HEX DRIVE SOCKETS

Number	Size	List Price
H3992	$\frac{9}{32}$ "	\$0.08
H3993	$\frac{5}{16}$ "	.08
H3994	$\frac{11}{32}$ "	.08
H3995	$\frac{3}{8}$ "	.08
H3996	$\frac{7}{16}$ "	.09
H3997	$\frac{15}{32}$ "	.09
H3998	$\frac{1}{2}$ "	.09
H3999	$\frac{9}{16}$ "	.09
H4000	$\frac{5}{8}$ "	.09




No. H4023

Husky Adapter

The connecting link between Ratchet and socket.

No. H4023—Shipping Weight 2 Oz. Each—List Price \$0.20




No. 2652

No. 2652—Contains twelve pieces. Nine hexagon sockets— $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{15}{32}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ " and $\frac{5}{8}$ ". A $7\frac{1}{4}$ " long Ell Handle, a $6\frac{1}{4}$ " long Ratchet, and a 1" adapter, cadmium finished and packed in a Gray Enameled Steel Box.

Packed 50 to a Case—Shipping Weight 1 Lb. Each

List Price \$1.06



No. 2654

No. 2654—This set is made up of seven pieces. Six hexagon sockets, $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{15}{32}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ " and a $5\frac{1}{4}$ " long Ell Handle. Cadmium finished and in a Gray Enameled Steel Box.

Packed 100 to a Case—Shipping Weight $\frac{3}{4}$ Lb. Each

List Price \$0.55




No. H4025

HUSKY ELL HANDLE

These handles are $\frac{3}{8}$ " hex to fit all $\frac{3}{8}$ " Hex sockets, and are made in two lengths, $5\frac{1}{4}$ " and $7\frac{1}{4}$ ".

No. H4024— $\frac{3}{8}$ " Hex Ell Handle $5\frac{1}{4}$ " long
Shipping Weight 4 Oz. Each—List Price \$0.14

No. H4025— $\frac{3}{8}$ " Hex Ell Handle $7\frac{1}{4}$ " long
Shipping Weight 6 Oz. Each—List Price \$0.14



No. H4548

HUSKY SLIDE TEE HANDLE

Can be used as a Tee handle or an offset handle $4\frac{1}{4}$ " long with $\frac{3}{8}$ " Hex Plug.

No. H4548—Slide Tee Handle
Shipping Weight 4 Oz. Each—List Price \$0.36



No. 4551

HUSKY SOCKET EXTENSION

Used in connection with the Slide Tee Handle. The shank is $\frac{3}{8}$ " hex and the socket end has a $\frac{3}{8}$ " hex opening. It is 5" long.

No. H4551—Socket Extension
Shipping Weight 5 Oz. Each—List Price \$0.20

Husky WRENCH SETS IN DISPLAY CARTONS

$\frac{1}{2}$ " HEX DRIVE

The sets shown on this page are packed in the new display cartons. These enable a dealer to present the sets in an attention compelling manner at no expense. The carton in which they are regularly packed may be opened so as to form a most attractive display. The sets are of the standard Husky quality, and will make profitable numbers to include with any tool stock. All of the sets shown below are $\frac{1}{2}$ " hex drive. Sockets and handles bright cadmium finished.



No. 2577

No. 2577—12 Piece set contains Eight 12 point sockets $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{17}{32}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", and $\frac{13}{32}$ ". A Slide Tee Handle, 6" Extension, Ratchet and Adapter.

No. 2577—Packed 50 per Case—Shipping Weight $1\frac{1}{2}$ Lbs. Each
List Price \$1.50



No. 2579

Contains Eight—12 point boached heat treated sockets, $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ " and 1" with a $7\frac{1}{4}$ " long Ell Handle All bright cadmium finished and packed in Display Carton.

No. 2579—9 Piece Set—Shipping Weight $1\frac{1}{2}$ Lbs. Each
Standard Package 50—List Price \$0.86



No. 2580

Made up of Six—12 Point broached heat treated sockets, $\frac{1}{2}$ " $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ " and $\frac{7}{8}$ " with a $7\frac{1}{4}$ " long Ell Handle. All bright cadmium finished and packed in Display Carton.

No. 2580—7 Piece Set—Shipping Weight $1\frac{1}{4}$ Lbs. Each
Standard Package 50—List Price \$0.65



No. 2578

No. 2578—12 Piece set contains Ten 12 point sockets $\frac{7}{16}$ " $\frac{1}{2}$ ", $\frac{17}{32}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{32}$ ", $\frac{13}{16}$ " and $\frac{7}{8}$ ". A Slide Tee Handle, and a 6" long extension.

No. 2578—Packed 50 per Case—Shipping Weight $1\frac{1}{2}$ Lbs. Each
List Price \$1.26



No. 2576

No. 2576—10 Piece set Contains Eight 12 point sockets $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ " and $\frac{15}{16}$ ". A Slide Tee Handle and a Flex Adapter.

No. 2576—Packed 50 per Case—Shipping Weight $1\frac{1}{2}$ Lbs. Each
List Price \$1.50



No. 2581

Has Five—12 point broached heat treated sockets, $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ " and $\frac{3}{4}$ " with a $7\frac{1}{4}$ " long Ell Handle. All bright cadmium finished and packed in a Display Carton.

No. 2581—6 Piece Set—Shipping Weight 1 Lb, Each
Standard Package 50—List Price \$0.60

Husky SOCKET WRENCH SETS


$\frac{1}{2}$ " HEX DRIVE



No. 2565

The most complete Car Owners set on the market. A pocket tool chest. The sockets are the extra deep Machinists type with the better grip, and in addition to the usual tools contains the Sliding Ell and Tee Handle and a Universal Joint. There are many possible combinations whereby complete individual wrenches may be built up, making possible as wide a range of work as could be covered by sets many times larger and much more expensive. It contains Eight—12 point broached Machinists heat treated sockets, $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ " and $\frac{15}{16}$ ", Sliding Ell and Tee Handle—6" long Extension, Ratchet Handle and Screw Driver Adapter, and Universal Joint. All parts $\frac{1}{2}$ " hex drive and all bright cadmium plated. Packed in a covered steel box. Finished in gray enamel.


No. 2565—13 Piece Set—Shipping Weight 4 Lbs. Each—Standard Package 50—List Price \$2.14



No. 2566

A socket wrench set that will meet the requirements of 90% of the car owners. The socket sizes are the ones most likely to be needed. They are accurately broached to size, and with ratchet and Ell Handle will care for a multitude of jobs. There are 8—12 point broached, heat treated sockets, $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ " and 1". A Ratchet and Screw Driver Adapter and an Ell Handle. All $\frac{1}{2}$ " hex drive and all bright cadmium plated. Packed in a covered steel box, finished in Gray Enamel.

No. 2566—11 Piece Set—Shipping Weight 3 Lbs. Each
Standard Package 50—List Price \$1.46



No. 2567

Two in One—A regular high grade Car Owner set, with Machinists type extra deep sockets and handles, and a Midget set that will save time and money, packed in the same box. There are Eight—12 point broached Machinists sockets, carefully machined and heat treated. Sizes: $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ " and $\frac{15}{16}$ " Ell Handle 7 $\frac{1}{4}$ " long, Ratchet and Screw Driver Adapter. All $\frac{1}{2}$ " hex drive. Also Seven Midget Sockets $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ " and an Internal Knurled socket with a 5" long Ell Handle. Midget socket and handle $\frac{1}{4}$ " hex drive. All parts are bright cadmium plated and are packed in a covered steel box, finished in Gray Enamel.

No. 2567—19 Piece Set—Shipping Weight 3 $\frac{1}{2}$ Lbs. Each
Standard Package 50—List Price \$1.96



No. 2568

A 16 Piece $\frac{1}{2}$ " Hex Drive wrench set that is unusual in the number of sockets it contains. There are Twelve 12 point sockets $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{25}{32}$ " and $\frac{7}{8}$ ". Three Square Sockets $\frac{5}{16}$ ", $\frac{11}{32}$ " and $\frac{3}{8}$ ". A Slide Tee Handle and 6" long Extension.

No. 2568—16 Piece Set—Packed 50 per Case
Shipping Weight 3 Lbs. Each—List Price \$1.76

Husky SOCKET WRENCH SETS

$\frac{1}{2}$ " HEX DRIVE



No. 2569

These sockets are carefully machined, accurately broached to size, heat treated and rust proofed with a bright cadmium plate. The sizes selected are those most frequently used. There are Six—12 point broached sockets, $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ " and $\frac{7}{8}$ " with a $\frac{1}{2}$ " Hex Ell Handle, also bright cadmium plated. These are snugly packed in a covered steel box finished in gray enamel.

No. 2570—7 Piece Set—Shipping Weight $1\frac{1}{4}$ Lbs. Each—Standard Package 50—List Price \$0.76

No. 2569—It is the same as No. 2570 but with hexagon broached sockets—List Price \$0.76



No. 2572

A Socket Set that has long held its position in the sales race. Featuring the extra deep Machinists sockets, and the inexpensive, but practical Drag link socket. There are Eight 12 point broached heat treated Machinists Sockets, $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ and $\frac{1\frac{1}{2}}{16}$ ". A Drag Link Socket, an $8\frac{1}{2}$ " long Ell Handle. Sockets and handle bright cadmium plated and packed in a covered steel box finished in gray enamel.

No. 2571—10 Piece Set
 $\frac{1}{2}$ " Hex Drive
Shipping Weight 2 Lbs. Each
Standard Package 50
List Price \$1.30

No. 2572—Is the same as No. 2571 but with hexagon broached sockets.

List Price \$1.30



No. 2573

Popular with the car owner and mechanic who wants the time saving feature of a Ratchet Handle. It contains six—12 point broached heat treated sockets $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ " and $\frac{7}{8}$ ". A Ratchet with Screw Driver Adapter and a $7\frac{1}{4}$ " long Ell Handle. Sockets and handles bright cadmium plated, and packed in a covered steel box finished in gray enamel.

No. 2575—9 Piece Set
List Price \$1.24
 $\frac{1}{2}$ " Hex Drive
Shipping Weight $2\frac{1}{4}$ Lbs. Each
Standard Package 10


No. 2573—Is the same as No. 2575 but with hexagon broached sockets.
List Price \$1.24

No. 2575C—Same as No. 2575 except that it is packed in a fibre board box.

9 Piece Set
Shipping Weight $1\frac{3}{4}$ Lbs. Each
Standard Package 10
List Price \$1.06

Husky SOCKET WRENCH SETS


The sets shown on this page are practical and popular assortments of sockets and tools packed in new Display Containers. All the parts are securely locked in the container, and yet are open to the most careful inspection. An attractive display for any counter, more effective than a display card. The sockets and handles are arranged so that the set is but slightly thicker than the diameter of the largest socket and will fit readily into car pocket or tool box, or it can be easily attached to the garage wall.



No. 2556

This unusually attractive and complete set is establishing a record for sales. The unique package and the wide range of socket sizes, from $\frac{1}{4}$ " to $\frac{15}{16}$ " are appreciated by car owners and mechanics. The $\frac{1}{2}$ " hex drive sockets are the Husky Machinists Type which are extra deep. The set contains 8 of these, 12 point broached to accurate size and heat treated. The sizes are $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ " and $\frac{15}{16}$ ". There is an Ell Handle, Ratchet and Screw Driver Adapter, all $\frac{1}{2}$ " hex drive. In addition there are Seven Midget sockets, $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ " and an internal knurled socket, with a 5" long Ell Handle which have a $\frac{1}{4}$ " hex drive. All parts bright cadmium finished, and securely packed in a gray enamel steel Display Container.


No. 2556—19 Piece Set—Shipping Weight $3\frac{1}{2}$ Lbs. Each
Standard Package 50—List Price **\$1.96**



No. 2557

This set also has the double attraction of a complete $\frac{1}{2}$ " hex drive assortment of sockets and tools and the time and labor saving Midget outfit, covering a wide range of work more easily and effectively. There are Eight 12 point heat treated sockets, $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ " and $\frac{15}{16}$ ". A Ratchet and Screw Driver Adapter and an Ell Handle. All $\frac{1}{2}$ " Hex Drive. There are also Seven Midget sockets $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ " and an internal knurled socket, with a 5" long Ell Handle. These have a $\frac{1}{4}$ " hex drive. All sockets and parts have a bright Cadmium finish and are securely packed in a gray enameled steel Display Container.


No. 2557—19 Piece Set—Shipping Weight $3\frac{1}{2}$ Lbs. Each
Standard Package 50—List Price **\$1.76**



No. 2557A

The convenience and utility of the double feature sets Nos. 2556 and 2557 are maintained in this one, with an added feature of a lower price. A number that will help many dealers to increase their tool sales during the coming season. It is made up of Seven $\frac{1}{2}$ " Hex Drive sockets, Sizes: $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ " and $\frac{13}{16}$ ". Ratchet and Adapter and an $8\frac{1}{2}$ " Ell Handle, also Seven $\frac{1}{4}$ " Hex Drive Ignition Sockets, Sizes: $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ " and an Internal Knurled socket with a $4\frac{3}{4}$ " Ell Handle. All parts cadmium plated, packed in gray enamel steel display container.


No. 2557A—18 Piece Set—Shipping Weight 3 Lbs. Each
Standard Package 50—List Price **\$1.70**



No. 2558

They like this set because of the number of sockets, and the attraction of the Display Container. There are Ten—12 point heat treated sockets, $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ " all accurately broached to size. A 10" long Ell Handle and an 8" long Ratchet and adapter. All the parts are $\frac{1}{2}$ " hex drive and all are rust proofed with a bright cadmium finish. Packed in the popular Display Case.

No. 2558—13 Piece Set—Shipping Weight Each 3 Lbs.
Standard Package 50—List Price **\$1.60**



No. 25


An eight socket set with a ratchet handle has always been a popular number. To this has been added all the attractive appearance of the Display Container. When the Ell Handle is withdrawn the sockets are in an open tray from which the desired size may be readily selected. This set is made up of 8—12 point heat treated sockets, $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ " and $\frac{15}{16}$ ", an Ell Handle, a Ratchet and Screw Driver Adapter. All parts $\frac{1}{2}$ " hex drive, and all bright cadmium finished. Packed in a gray enameled finished Disply Container.

No. 2559—11 Piece Set—Shipping Weight $2\frac{1}{2}$ Lbs. Each
Standard Package 50—List Price **\$1.40**

Husky HANDLE LOCK SOCKET SETS

$\frac{1}{2}$ " HEX DRIVE

The Socket Sets shown on this page are arranged in sets particularly designed for the requirements and convenience of the car owner. They take up but little space in the car, and are instantly available for use, representing the maximum of economy in money, space and effort.



No. 2560

A fast selling set that has all the advantages that go with the Machinists Type extra deep sockets. There are Eight—12 point Machinists heat treated sockets, $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ " and $\frac{15}{16}$ ". A Drag Link Socket, and a 10" Ell handle. All $\frac{1}{2}$ " hex drive and all bright cadmium finished. Packed securely in a steel Container, finished in gray enamel.


No. 2560—10 Piece Set—Shipping Weight $1\frac{3}{4}$ Lbs. Each
Standard Package 50—List Price \$1.24



No. 2561

All mechanics like this set because of the extra deep sockets which give a better grip on those nuts with protruding bolts, also because of the handy and practical Ratchet. It is made up of Eight Machinists Sockets accurately broached to size and heat treated. Sizes: $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ " and $\frac{15}{16}$ ". A Drag Link Socket, a Ratchet and Adapter and a 10" Ell Handle. All $\frac{1}{2}$ " hex drive and all bright cadmium plated. Packed in a steel Container finished in gray enamel.


No. 2561—12 Piece Set—Shipping Weight 3 Lbs. Each
Standard Package 50—List Price \$1.60



No. 2562

There is no better or more practical set for the car owner in its price class than this one. It has the combined advantages of extra deep sockets in popular sizes, a serviceable ratchet and the convenient Handle Lock Container. There are Eight Machinists type sockets accurately broached to size and heat treated. Sizes: $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ " and $\frac{15}{16}$ ". Ratchet and Adapter and Ell Handle. All $\frac{1}{2}$ " hex drive and all bright cadmium plated. Packed in a steel Container finished in gray enamel.

No. 2562—11 Piece Set—Shipping Weight 3 Lbs. Each
Standard Package 50—List Price \$1.50



No. 2563

A very popular set with car owners and an exceptional value. Sockets accurately machined to size and clearly marked. Packed in a Container which is instantly opened for use by simply withdrawing the Ell Handle. Contains six—12 point broached heat treated sockets, $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ " and $\frac{13}{16}$ ". An $8\frac{1}{2}$ " Ell Handle, a 7" Ratchet and Adapter $\frac{1}{2}$ " Hex. Drive. Sockets and Handle are $\frac{1}{2}$ " hex drive and bright cadmium finished. Container finished in gray enamel.

No. 2563—9 Piece Set—Shipping Weight 2 Lbs. Each
Standard Package 50—List Price \$1.24

No. 2582—Same as No. 2563 except that it has an additional $\frac{7}{16}$ " socket.

10 Piece Set—Shipping Weight 2 Lbs. Each
Standard Package 50—List Price \$1.33


No. 2564—Is the same as No. 2563 except that it has Ratchet H1409 instead of H1389.

Shipping Weight 2 Lbs. Each—List Price \$1.20

Husky HANDLE LOCK SOCKET SETS

$\frac{1}{2}$ " SQUARE DRIVE


The Socket Sets shown on this page are arranged in sets particularly designed for the requirements and convenience of the car owner. They take up but little space in the car, and are instantly available for use, representing the maximum of economy in money, space and effort.



No. 2551

One of the best selling socket sets ever manufactured. Can be found wherever an automobile can go. A pocket size tool kit. Contains Six—12 point broached heat treated sockets and a $7\frac{1}{4}$ " long Ell Handle in a steel Handle Lock container. Sockets and Handle are $\frac{1}{2}$ " Hex Drive and bright cadmium finished and container finished in gray enamel. Contains Six—12 point sockets, $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ " and $\frac{7}{8}$ " with a $7\frac{1}{4}$ " long Ell Handle.

No. 2551—6 Piece Set—Shipping Weight $1\frac{1}{4}$ Lbs. Each
Standard Package 50—List Price \$0.67



No. 2552

A set that is appreciated by all who are interested in tools. Will do a surprising amount of work for its size. Contains Eight 12 point broached heat treated sockets, $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ " and 1" and a 10" long Ell Handle. Sockets and handle are $\frac{1}{2}$ " hex drive and finished in bright cadmium. Container finished in gray enamel.


No. 2552—9 Piece Set—Shipping Weight $1\frac{1}{2}$ Lbs. Each
Standard Package 50—List Price \$1.08



No. 2583

This set is similar to No. 2552 and has all the attractive features of the Husky Handle Lock numbers. Dependable sockets accurately broached to size, a full length Ell Handle and the addition of a handy practical screw driver socket. There are 10 pieces as follows: Eight Regular 12 point sockets: $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{15}{16}$ ", a Screw Driver socket and a 10" long Ell Handle. All parts bright cadmium plated and packed in a Gray enameled Handle Lock box.

No. 2583—10 Piece Set—Shipping Weight $1\frac{1}{2}$ Lbs. Each
Standard Package 50—List Price \$1.18



No. 2553

One of the most popular sets on the market today. Just as popular with the man who buys it as with the one who sells it. Compactly arranged in a Handle Lock container which makes it easy to get at when needed. Contains Eight—12 point broached, heat treated sockets, $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ " and 1". A 10" long Ell Handle and 8" long Ratchet with Screw Driver Adapter. All parts $\frac{1}{2}$ " hex drive and bright cadmium finished, and the container gray enamel finished.

No. 2553—11 Piece Set—Shipping Weight $2\frac{1}{2}$ Lbs. Each
Standard Package 50—List Price \$1.40



No. 2554

This set is popular as a unit to carry in a tool box or car pocket. The patented strung-on feature makes the most compact way possible to pack a socket set. There are Eight—12 point broached heat treated sockets, $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ " and 1" on the Ell Handle. Sockets and Handle are $\frac{1}{2}$ " Hex Drive and finished in bright cadmium.

No. 2554—9 Piece Set—Shipping Weight $1\frac{1}{2}$ Lbs. Each
Standard Package 50—List Price \$0.82







No. 2555










Like No. 2554 this set has all the advantages of the strung-on feature but has two less sockets. There are Six—12 Point broached heat treated sockets, $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ " and $\frac{7}{8}$ ", strung on the Ell Handle. Handle and sockets $\frac{1}{2}$ " hex drive and bright cadmium finished.

No. 2555—7 Piece Set—Shipping Weight 1 Lb. Each
Standard Package 50—List Price \$0.58






Husky CARBON SOCKETS

ILLUSTRATION	Catalog Number	DESCRIPTION	St'd. Pkz.	Sh. Wt. Per Dz.	List Price
REGULAR 12 POINT HARDENED SOCKETS 1/2" HEX DRIVE					
	H4377	5/16" 12 Point Socket	12	1	.08
	H4378	11/32" " " "	12	1	.08
	H4379	3/8" " " "	12	1	.08
	H3367	7/16" " " "	12	1	.08
	H2311	1/2" " " "	12	1	.08
	H3861	17/32" " " "	12	1 1/4	.08
	H2312	9/16" " " "	12	1 1/4	.08
	H3862	19/32" " " "	12	1 1/4	.08
	H2313	5/8" " " "	12	1 1/4	.08
	H2314	11/8" " " "	12	1 1/2	.10
	H2315	3" " " "	12	1 3/4	.11
	H4380	2 1/2" " " "	12	2	.12
	H2317	1 3/8" " " "	12	2	.12
	H2316	1 1/8" " " "	12	2 1/2	.13
	H3368	1 5/16" " " "	12	2 1/2	.14
	H2318	1" " " "	12	3	.14
REGULAR SQUARE HARDENED SOCKETS 1/2" HEX DRIVE					
	H4340	5/16" Square Socket	12	1	.08
	H4341	11/32" " " "	12	1	.08
	H4365	3/8" " " "	12	1	.08
MACHINISTS' TYPE 12 POINT HARDENED SOCKETS 1/2" HEX DRIVE					
	H2321	7/16" Machinists 12 Point Socket	12	1 1/2	.10
	H2322	1 1/2" " " "	12	1 1/2	.10
	H2323	9/2" " " "	12	1 3/4	.10
	H2324	5/8" " " "	12	2	.10
	H2325	11/16" " " "	12	2 1/4	.11
	H2326	3/4" " " "	12	2 1/2	.12
	H2327	7/8" " " "	12	2 3/4	.14
	H2328	1 5/16" " " "	12	3	.15
HEXAGON HARDENED SOCKETS 3/8" HEX DRIVE					
	H3992	9/32" Hex Socket	12	3/4	.08
	H3993	5/16" " " "	12	3/4	.08
	H3994	11/32" " " "	12	3/4	.08
	H3995	3/8" " " "	12	3/4	.08
	H3996	7/8" " " "	12	3/4	.09
	H3997	1 1/16" " " "	12	3/4	.09
	H3998	1 1/2" " " "	12	1	.09
	H3999	9/16" " " "	12	1	.09
	H4000	5/8" " " "	12	1	.09
MIDGET TYPE HEXAGON HARDENED SOCKETS 1/4" HEX DRIVE					
	H3070	3/16" Hex Socket	12	1/2	.04
	H0951	1/4" " " "	12	1/2	.04
	H4346	9/32" " " "	12	1/2	.04
	H0952	5/16" " " "	12	1/2	.04
	H0953	11/32" " " "	12	1/2	.04
	H0954	3/8" " " "	12	3/4	.04
	H0955	7/8" " " "	12	3/4	.04
	H0956	1 1/16" " " "	12	3/4	.05
	H0957	Internal Knurled Socket	12	1/2	.04
MIDGET TYPE SQUARE HARDENED SOCKETS 1/4" HEX DRIVE					
	H4382	1/4" Square Socket	12	1/2	.04
	H4383	5/16" " " "	12	1/2	.04

Husky HEXAGON ATTACHMENTS

ILLUSTRATION	Catalog Number	DESCRIPTION	Std. Pkg.	Sh. Wt. Per Dz.	List Price
 No. H2029	ELL HANDLES				
	H3678	1/4" Hex. 4 3/4" Long	12	1	.10
	H1084	1/4" " 5" "	12	1	.10
	H4024	3/8" " 5 1/4" "	12	2	.14
	H4025	3/8" " 7 1/4" "	12	3	.14
	H1423	1/2" " 6 1/2" "	12	5	.18
	H1963	1/2" " 7 1/4" "	12	6	.20
	H1087	1/2" " 8 1/4" "	12	7	.20
	H528	1/2" " 8 1/2" "	12	8	.20
	H1405	1/2" " 9 1/4" "	12	10	.24
	H2029	1/2" " 9 7/8" "	12	11	.24
 No. H3197	SLIDE TEE HANDLES				
	H4384	1/4" Hex. Drive	12	5	.20
	H4548	3/8" " "	12	9	.36
	H3197	1/2" " "	12	12	.35
 No. H4560	WOOD HANDLE ADAPTERS				
	H4560	Wood Handle Screw Driver Adapter, 6" Long	12	1	.16
	H4303	Wood Handle Adapter, 7 1/2" Long	12	1	.15
 No. H1431  No. H4551	ADAPTERS				
	H4387	1/4" Hex. 3/4" Long	12	1/4	.06
	H2692	1/4" " 3" "	12	1/2	.12
	H4388	1/4" " 6" "	12	3/4	.10
	H4023	3/8" " 1" "	12	1	.20
	H4551	3/8" " 5" "	12	3	.20
	H1408	1/2" " 1" "	12	1	.10
	H1431	1/2" " 3" "	12	2	.12
	H1420	1/2" " 5" "	12	3	.16
	H2555	1/2" " 6" "	12	4	.18
	H1801	1/2" " 6" "	12	4	.18
 No. H2833	H2833	1/2" Hex. Flex Handle Adapter fits any 1/2" Hex Handles or sockets. Can be used at many angles. Bright Cadmium finish.	12	5	.42
 No. H1069	H1069	SCREW DRIVER ADAPTER 1/2" Screw Driver Adapter 1 5/8" long. Bright Cadmium finish	12	1	.12
 No. H0783	H0783	UNIVERSAL JOINT Universal Joint to fit 1/2" hex socket on either end 2" long. Bright Cadmium finish.	12	3	.33
	SCREW DRIVER SOCKETS				
	H4302	1/4" Hex. Screw Driver Socket	12	1/2	.08
	H0839	1/2" Hex. Screw Driver Socket	12	1	.14
	H4108	1/2" Hex. Screw Driver Socket	12	1	.14

Husky RATCHETS AND BICYCLE WRENCHES

ILLUSTRATION	Catalog Number	DESCRIPTION	Std. Pkg.	Sh. Wt. Per Dz.	List Price
<p>RATCHET HANDLES</p> 	H1066	This ratchet is well and favorably known wherever Socket Wrenches are sold. It is a valued addition to many a car owner set. A time and labor saving tool. The ratchet wheel and pawl are hardened to give long and satisfactory service. It is 8" long with 1/2" hex drive. Formed to fit the hand comfortably and attractively finished in bright cadmium.	12	11	.40
	H1389	Many prefer this ratchet because of its exceptionally free action. There are no stiff springs to fight against. The smooth pressed steel handle is easy on the hands. The ratchet wheel and pawl will wear indefinitely as they are carefully hardened. It is 7" long with 1/2" hex drive. Bright cadmium finish.	12	11	.40
	H1409	This Open Type Ratchet has a free and positive action. Is well constructed from accurate stampings and well machined parts. Ratchet wheel and pawl hardened to give long service. Finished in bright cadmium and has a 1/2" hex drive. The 7 1/4" length gives a good hand hold.	12	11	.36
<p>BICYCLE WRENCH</p> 	2768	Made from heavy gauge steel stampings accurately assembled to give long and satisfactory service. The movable jaw is operated by a knurled thumb nut and the opening can be instantly adjusted. Takes up but little space and is rustproofed by a bright cadmium finish.	12	6	.20
<p>OFFSET END BICYCLE WRENCH</p> 	2769	The offset Head on this wrench makes it possible to work freely where the ordinary type wrench would be at a disadvantage. It is carefully constructed from accurate heavy gauge steel stampings, and is operated freely by a knurled thumb nut. Finished in a rust resisting bright cadmium plate.	12	6	.21

Husky STAMPED CARBON STEEL WRENCHES



No. 2752 Box End Wrench Set

A set of offset box end wrenches made from high grade steel, hardened and tempered to withstand wear. There are six double end wrenches with twelve different size 12 point broached openings, making twelve practical wrenches at the price you would ordinarily pay for one. The sizes are $\frac{3}{8}$ " and $\frac{7}{16}$ ", $\frac{1}{2}$ " and $\frac{9}{16}$ ", $\frac{5}{8}$ " and $\frac{11}{16}$ ", $\frac{3}{4}$ " and $\frac{13}{16}$ " and $\frac{7}{8}$ ", $\frac{15}{16}$ " and 1". Nested with stud and wing nut, and finished in bright cadmium.

No. 2752—6 Piece Set—Shipping Weight $1\frac{1}{4}$ Lbs. Each
Standard Package 50—List Price **\$0.54**


No. 2754—Set of 4 No. H2561 to H2564
Standard Package 50—Shipping Weight $\frac{3}{4}$ Lb. Each
List Price **\$0.30**

INDIVIDUAL BOX END WRENCHES

Double Hex (12 Point) Broached

No.		Std. Pkg.	Sh. Wt. Per Dz.	List Price
H2561	Two Openings: $\frac{3}{8}$ " & $\frac{7}{16}$ "—5" long	12	$1\frac{1}{4}$.06
H2562	Two Openings: $\frac{1}{2}$ " & $\frac{9}{16}$ "—5 $\frac{1}{2}$ " long	12	2	.06
H2563	Two Openings: $\frac{5}{8}$ " & $\frac{11}{16}$ "—6" long	12	$2\frac{1}{2}$.08
H2564	Two Openings: $\frac{3}{4}$ " & $\frac{13}{16}$ "—6 $\frac{1}{2}$ " long	12	$3\frac{1}{2}$.08
H2565	Two Openings: $\frac{7}{8}$ " & 1"—7" long	12	5	.11
H2566	Two Openings: $\frac{15}{16}$ " & 1 $\frac{1}{2}$ "—7 $\frac{1}{2}$ " long	12	6	.15

All wrenches bright cadmium plated.



No. 2751 Box End and Open End Wrench Set

A compact set of six wrenches that will fit in any tool box and will do the work of twelve individual wrenches, six box end and six open end. They are made from high grade steel hardened and tempered to stand wear. The Open end sizes are $\frac{5}{16}$ ", $\frac{7}{16}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ " and $\frac{7}{8}$ ". The 12 point broached box end sizes are $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{11}{16}$ ", $\frac{25}{32}$ ", $\frac{13}{16}$ ", $\frac{15}{16}$ ". All are rust proofed with a bright cadmium finish and are nested with a stud and wing nut.

No. 2751—6 Piece Set—Shipping Weight $1\frac{1}{4}$ Lbs. Each
Standard Package 50—List Price **\$0.54**

No. 2753—Set of 4 No. H2826 to H2829
Standard Package 50—Shipping Weight $\frac{3}{4}$ Lbs. Each
List Price **\$0.30**


**INDIVIDUAL BOX END AND OPEN
END WRENCHES**

Open End Hexagon Broached

Box End Double Hex (12 Point) Broached

No.	Hex Open End	12 Point Box End	Std. Pkg.	Sh. Wt. Per Dz.	List Price
H2826	Two Openings: $\frac{5}{16}$ " &	$\frac{3}{8}$ "—5" long	12	$1\frac{1}{4}$.06
H2827	Two Openings: $\frac{7}{16}$ " &	$\frac{1}{2}$ "—5½" long	12	$1\frac{3}{4}$.06
H2828	Two Openings: $\frac{9}{16}$ " &	$\frac{11}{16}$ "—6" long	12	2	.08
H2829	Two Openings: $\frac{5}{8}$ " &	$\frac{25}{32}$ "—6½" long	12	$2\frac{1}{4}$.08
H2830	Two Openings: $\frac{3}{4}$ " &	$\frac{13}{16}$ "—7" long	12	3	.11
H2831	Two Openings: $\frac{7}{8}$ " &	$\frac{15}{16}$ "—7½" long	12	4	.15

All wrenches bright cadmium plated.



**Open End Wrench Set
Hexagon Broached**

No. 2755—Set of Five Wrenches
Standard Package 50—Shipping Weight $\frac{3}{4}$ Lbs. Each
List Price **\$0.36**

**INDIVIDUAL OPEN END WRENCHES
Hexagon Broached**

Number	DESCRIPTION	Std. Pkg.	Sh. Wt. Per Dz.	List Price
H1051	Two Openings: $\frac{1}{4}$ " and $\frac{5}{16}$ "—3 $\frac{1}{8}$ " long	12	$1\frac{1}{4}$.04
H1052	Two Openings: $\frac{3}{8}$ " and $\frac{7}{16}$ "—4" long	12	$2\frac{1}{2}$.06
H1053	Two Openings: $\frac{1}{2}$ " and $\frac{9}{16}$ "—4 $\frac{7}{8}$ " long	12	$3\frac{1}{4}$.08
H1054	Two Openings: $\frac{5}{8}$ " and $\frac{3}{4}$ "—6" long	12	$4\frac{1}{2}$.10
H1055	Two Openings: $\frac{7}{8}$ " and 1"—7" long	12	6	.13




All wrenches Bright cadmium plated.

No. 2755B—Set of Four wrenches, Nos. H1051-H1052-H1053 and H1054.
Standard Package 50—Shipping Weight $\frac{1}{2}$ Lb. Each—List Price **\$0.28**

Husky CARBON SOCKETS

1/2" SQUARE DRIVE









The Carbon Sockets are made from special analysis selected steel, accurately machined to size and carefully heat treated to give them the maximum of durability and strain resistance. Ruggedly built to withstand rough and constant use. The 23 sizes with the twelve point or double hex broaching and the 10 sizes with the 8 point broaching have been selected to take care of any automotive or industrial plant work. The 8 point sockets will also take care of any adjustments or repairs to agricultural machinery. A thirty degree chamfer on the outside and inside of the rim allows the socket to slip over the nut or bolt head easily. To take care of hollow head plugs and screws there are six sizes of the Husky Special Solid End Drain Plug sockets, of unique construction, for convenience and durability, accurately milled to size, ends and edges chamfered to more readily enter openings. Individual sockets may be added to your set as they are all made for a 1/2" standard drive. The rust resisting bright cadmium finish adds much to their appearance and durability.

ILLUSTRATION	Catalog Number	DESCRIPTION	Std. Pkg.	Sh. Wt. Per Dz.	List Price
 12 Point Socket	H2600	5/16" 12 Point Socket	12	1 3/4	.12
	H2601	11/32" " " "	12	1 3/4	.12
	H2602	3/8" " " "	12	1 3/4	.12
	H2603	7/16" " " "	12	1 3/4	.12
	H2604	1/2" " " "	12	1 3/4	.12
	H2605	17/32" " " "	12	2	.12
	H2606	9/16" " " "	12	2	.12
	H2607	19/32" " " "	12	2	.12
	H2608	5/8" " " "	12	2	.12
	H2664	21/32" " " "	12	2 1/4	.12
	H2609	11/16" " " "	12	2 1/4	.16
	H2610	23/32" " " "	12	2 1/4	.16
	H2611	3/4" " " "	12	2 1/2	.16
	H2612	25/32" " " "	12	2 1/2	.16
	H2613	13/16" " " "	12	2 3/4	.16
	H2614	7/8" " " "	12	3 1/4	.16
	H2615	15/16" " " "	12	3 3/4	.22
	H2616	31/32" " " "	12	4	.22
	H2617	1" " " "	12	4 1/2	.22
	H2662	1 1/16" " " "	12	5	.22
	H2618	1 1/8" " " "	12	5	.22
	H2666	1 3/16" " " "	12	5 1/2	.24
	H2619	1 1/4" " " "	12	6	.24
 8 Point Socket	H3646	5/16" 8 Point Socket	12	1 3/4	.12
	H3647	11/32" " " "	12	1 3/4	.12
	H3648	3/8" " " "	12	1 3/4	.12
	H3649	7/16" " " "	12	1 3/4	.12
	H3650	1/2" " " "	12	2	.12
	H3651	9/16" " " "	12	2 1/4	.16
	H3652	5/8" " " "	12	2 3/4	.16
	H3653	11/16" " " "	12	3	.18
	H3654	3/4" " " "	12	4	.20
	H3655	7/8" " " "	12	5 1/4	.24
 Solid End Drain Plug Socket	H2630	5/16" Solid End Drain Plug Socket	12	1	.14
	H2631	3/8" " " " " "	12	1	.14
	H2632	7/16" " " " " "	12	1 1/4	.14
	H2633	1/2" " " " " "	12	1 1/4	.14
	H2634	9/16" " " " " "	12	1 1/4	.14
	H2635	5/8" " " " " "	12	1 1/2	.14








Husky CARBON ATTACHMENTS

All of these attachments are made from special analysis selected steel. All have a $\frac{1}{2}$ " square standard drive and are finished in bright cadmium.

$\frac{1}{2}$ " SQUARE DRIVE

ILLUSTRATION	Catalog Number	DESCRIPTION	Std. Pkg.	Sh. Wt. Per Dz.	List Price
 Alemite Fitting Socket	H2675C	One End milled to $\frac{1}{2}$ " Sq. and equipped with friction ball and spring. The other end has an opening with slotted sides accurately machined to take any alemite fitting.	12	1	.20
 Drag Link Socket	H2640C	<p>An inexpensive labor saving accessory for Drag Link also fits slotted nuts on automobile and truck steering assembly housing.</p> <p>One end broached for a standard $\frac{1}{2}$" Square handle or adapter. The other end formed into a drive blade $\frac{9}{16}$" wide.</p>	12	1 $\frac{3}{4}$.22
 Universal Joint	H3590	$\frac{15}{16}$ " in Diameter by 2 $\frac{3}{8}$ " long. The two socket sections are broached for $\frac{1}{2}$ " Sq. standard handle or adapter. These are attached by a large strong block and heavy duty pins, allowing free movement in a wide arc. With this attachment regular tools may be used at many angles.	12	5	.50
 Valve Grinder Attachment	H2636	One end broached $\frac{1}{2}$ " Sq. At the other end is attached three hardened steel adjustable blades with two adjusting screws. These form a universal valve grinding attachment that can be used on any size or type of valve.	12	2 $\frac{1}{4}$.24
 Ell Handle	H2674	$\frac{5}{8}$ " Rd. x 7 $\frac{3}{4}$ " long. Both ends milled to $\frac{1}{2}$ " Sq. and equipped with friction balls and springs. A deep Ell Bend 1 $\frac{1}{2}$ " on the inside allows for ample knuckle room. Sturdy enough for the heaviest job.	12	9 $\frac{1}{2}$.30
 Long Extension	H2649	$\frac{5}{8}$ " Rd. x 7 $\frac{3}{4}$ " long. Both ends milled to $\frac{1}{2}$ " Sq. and equipped with friction balls and springs.	12	8	.26
	H3101	Same as H2649 except that it is 4 $\frac{1}{2}$ " long.	12	6	.20
 Short Adapter	H2648	$\frac{1}{2}$ " Sq. x 1 $\frac{1}{4}$ " long. Equipped with friction ball and spring on either end. Ends are chamfered to more readily enter handle and socket openings.	12	1 $\frac{1}{4}$.14
	H4333C	$\frac{1}{2}$ " Sq. x 1 $\frac{1}{4}$ " long Screw Driver Adapter.	12	1 $\frac{1}{4}$.25
 Ratchet Handle	H2654	The ratchet handle is one of the most essential socket set accessories, and one that most frequently betrays the confidence of the mechanic. Realizing this we have developed a ratchet that is strong, sturdy and dependable. Made with a solid steel handle and specially heat treated ratchet and pawl, it is 9" long and has a standard $\frac{1}{2}$ " square opening.	12	12	.54

Husky CARBON STEEL TOOLS

ILLUSTRATION	Cat. No.	DESCRIPTION	Std. Pkg.	Shpg. Wt.	List Price																																								
 No. H4564	H4564 H4590 H4861 H4861P	One of the recognized fundamental tools in every garage. Speeds up tire work. Forged from selected carbon steel, carefully heat treated and tempered to withstand hard service, and rust proof finished. Extra long arms will clear all fender obstruction on late model cars. Extra depth of all four sockets, which are 5/8", 3/4", 13/16" and 7/8" sizes that will fit rim and hub bolts on nearly all cars. 4 Way Rim Wrench, 13" Arms 4 " " " 13" " Pol. Ends 4 " " " 16" " " 4 " " " 16" " Pol. Ends	10 10 10 10	2 1/2 2 1/2 3 3																																									
HUSKY RIM WRENCHES  No. H4518	H4518 H4519 H4520 H4521 H4522	These forged plain handle rim wrenches have deep sockets to permit a firm grip on the nuts, and a wide swing that gives ample leverage. Will not break, spread or twist off at the shank. Made in five sizes and finished in bright cadmium. Rim Wrench 5/8" Socket " " 11/16" " " " 3/4" " " " 13/16" " " " 7/8" "	10 10 10 10 10	1 1/2 1 1/2 1 1/2 1 1/2 1 1/2	.36 .36 .36 .36 .36																																								
 No. H4552-H4513 No. H4552-H4516	HUSKY DRAWN STEEL SPARK PLUG SOCKETS Thin straight walls, rust resisting cadmium finish and in all popular spark plug sizes. DOUBLE END <table><tr><th>Number</th><th>Hex. Spark Plug Size</th><th>List Prices In Indv. Boxes With Cross Bar</th><th>List Price In Bulk</th></tr><tr><td>H4566</td><td>9/16" and 11/16" (10 M/M)</td><td>\$0.25</td><td>\$0.25</td></tr><tr><td>H4511</td><td>13/16" (14 M/M) & 7/8" (18 M/M)</td><td>.25</td><td>.25</td></tr><tr><td>H4512</td><td>7/8" and 1" (18 M/M)</td><td>.25</td><td>.25</td></tr><tr><td>H4513</td><td>7/8" and 1 1/8"</td><td>.25</td><td>.25</td></tr><tr><td>H4514</td><td>15/16" and 1 1/8"</td><td>.25</td><td>.25</td></tr><tr><td>H4552</td><td>Cross Bar</td><td>.06</td><td>.06</td></tr></table> SINGLE END <table><tr><td>H4515</td><td>13/16"</td><td>.23</td><td>.23</td></tr><tr><td>H4516</td><td>7/8"</td><td>.23</td><td>.23</td></tr><tr><td>H4517</td><td>1"</td><td>.23</td><td>.23</td></tr></table>					Number	Hex. Spark Plug Size	List Prices In Indv. Boxes With Cross Bar	List Price In Bulk	H4566	9/16" and 11/16" (10 M/M)	\$0.25	\$0.25	H4511	13/16" (14 M/M) & 7/8" (18 M/M)	.25	.25	H4512	7/8" and 1" (18 M/M)	.25	.25	H4513	7/8" and 1 1/8"	.25	.25	H4514	15/16" and 1 1/8"	.25	.25	H4552	Cross Bar	.06	.06	H4515	13/16"	.23	.23	H4516	7/8"	.23	.23	H4517	1"	.23	.23
Number	Hex. Spark Plug Size	List Prices In Indv. Boxes With Cross Bar	List Price In Bulk																																										
H4566	9/16" and 11/16" (10 M/M)	\$0.25	\$0.25																																										
H4511	13/16" (14 M/M) & 7/8" (18 M/M)	.25	.25																																										
H4512	7/8" and 1" (18 M/M)	.25	.25																																										
H4513	7/8" and 1 1/8"	.25	.25																																										
H4514	15/16" and 1 1/8"	.25	.25																																										
H4552	Cross Bar	.06	.06																																										
H4515	13/16"	.23	.23																																										
H4516	7/8"	.23	.23																																										
H4517	1"	.23	.23																																										
 No. H2886  No. H2890C	H2886 H2890C	A sturdy 15" Flex Handle and 8" Cross Bar that should be in every mechanics kit. Can be used as a spinner to spin on the nuts by rolling it between the palms of the hands. Then can be swung to right angles for the tightening pull. The 8" cross bar converts it into a high grade Tee Handle. Has a standard 1/2" Square drive so as to fit any standard tools. 15" Flex Handle 8" Cross Bar	10 10	1 1/2 4 oz.	1.10 .16																																								
 No. H3296 SLIDE TEE HANDLE	H3296	Husky Slide Tee Handle with a 1/2" Square broached opening in the head. Finished in bright cadmium.	10	1	.40																																								
 SPEEDER HANDLES	H2660 H2650	Husky Speeders are built for long, tough service. The knurled revolving handle makes operating easy. Provided in two sizes 13" and 19" in length and rust proofed with a bright cadmium finish. 19" Speeder 13" Speeder	10 10	1 1/2 1 1/4	.56 .50																																								

Husky

KNOCKOUT TYPE WHEEL PULLERS

These Wheel Pullers provide a quick convenient method for loosening wheel hubs without damage to axles. They are made from special analysis steel, carefully and accurately machined to fit and heat treated and hardened. A vent is provided so as to avoid trapping of air, oil, or grease on the end of the axle, thus forming a cushion which would prevent the proper operation of the Wheel Puller. Packed in individual boxes.



No. H4103

Number	Axle Size	Weight	List Price
H4100	$\frac{5}{8}$ "—18	10 oz.	\$0.18
H4101	$\frac{3}{4}$ "—16	10 oz.	.18
H4572	$\frac{3}{4}$ "—20	10 oz.	.18
H4537	$\frac{13}{16}$ "—16	10 oz.	.18
H4102	$\frac{7}{8}$ "—14	10 oz.	.18
H4538	$\frac{7}{8}$ "—18	10 oz.	.18
H4103	1"—14	12 oz.	.18
H4104	$1\frac{1}{8}$ "—12	$1\frac{1}{2}$ Lbs.	.44
H4306	$1\frac{1}{4}$ "—12	$1\frac{1}{2}$ Lbs.	.44

HUSKY KNOCKOUT TYPE WHEEL PULLER DISPLAY ASSORTMENT

No. H4588



No. H4588

After a very careful check of the sales of this type Wheel Puller, we have arranged a Display package with the assortment of sizes, in quantities that will give you a balanced stock. The size of this stock will be determined by the number of these packages you require. Inside the cover of this Display will be found a chart showing the size Wheel Puller required for the different makes and models of cars and trucks. This Assortment is packed in a gray damaskene finished steel box which forms a very attractive counter display. Individual wheel pullers may be purchased in any quantities to enable you to keep your stock at the desired level.

Size	Number	Quantity
12	H4100	$\frac{5}{8}$ "—18
15	H4101	$\frac{3}{4}$ "—16
3	H4572	$\frac{3}{4}$ "—20
6	H4537	$\frac{13}{16}$ "—16
6	H4102	$\frac{7}{8}$ "—14
3	H4538	$\frac{7}{8}$ "—18
7	H4103	1"—14
4	H4104	$1\frac{1}{8}$ "—12
3	H4306	$1\frac{1}{4}$ "—12

No. H4588—59 Piece Wheel Puller Display—Packed 6 per Case—Shipping Weight 42 Lbs. Each—List Price **\$12.44**

Husky

KNOCKOUT TYPE WHEEL PULLER

AXLE SIZE CHART

The following chart shows all models of passenger car and truck axle sizes. If you know the axle size merely ask for the correct size. If only make and model of car is known, this chart will show the correct axle and wheel puller size.

AXLE THREAD SIZE $\frac{5}{8}$ "-18

Passenger Cars

Durant—All models 1928-30 except 6-14, 1930
Essex—All models to 1930
Ford—All models A, B, T, V-8 to 1936
Lincoln Zephyr—1936
Locomobile—Jr. 8, 1925-29
Star—All models 1923-30

AXLE THREAD SIZE $\frac{3}{4}$ "-16

Passenger Cars

Chevrolet—All models 1928 to E 1932
Chrysler—50-52, 1926-28; 66, 1929-31; 8 Cyl. 1930; CM, 1931-32; C1, 1932; Cj, 1931; CO, 1933; CA, CB, 1934; C6, CZ8, 1935; C-7, C-8, Airstm, 1936
De Soto—All models to 1936
De Vaux—6-75, 1930-31
Dodge—All models 1930; DH, 1931; DC, DL, 1932; D-P-6, HC, HCL, 1933, DR, DS, 1934; DU, 1935; D-2, 1936
Durant—6-14, 1930; All models 1931-32
Erskine—All models 1927-29
Franklin—All models to 1932; Big 6, 1933-34
Graham—612, 1929-31; 45-46, E1930
Nash—1926-29 Stan. Lt. 6
Plymouth—All models 1928-36
Pontiac—1926 to E1929
Willys-Ov'd—77, 4 cyl. 1933-34; 77B, 1935-36

Trucks

Chevrolet Model—BB, 1932
Fargo—Packet 4-6 $\frac{1}{2}$ Ton 1928-31

AXLE THREAD SIZE $\frac{3}{4}$ "-20

Passenger Cars

Hudson—1934
Terraplane—6, 8, 1932-34

AXLE THREAD SIZE $1\frac{1}{8}$ "-16

Passenger Cars

Chevrolet—Late 1932

AXLE THREAD SIZE $\frac{7}{8}$ "-14

Passenger Cars

Auburn—8-77, 1927-28; 6-80, 1928-30; 76, 1928; 6-85, L1930; 890, 895
Chrysler—65, 75, 1928-1929; 70, 77, 1929; 30, 70, 6 cyl. 1931-32; 8 cyl. 1931-33; CU, CV, 1934; C-1, C-2, C-3, C-9, C-10, C-11, Airfl. 1935-6
Dodge—All models 1927-29; DK, 1932; DO, 1933
Elcar—6-70, 6-75, 1926-30
Erskine—53, 1930
Ford Truck—TT, AA, to 1929
Gardner—75, 80, 85, 150, 1927-29
Graham—610, 1928-29; 45-46, L 1930-31; 56, 1932; 74, 1935; 80, 1936
Hudson—All 6 Cyl. 1921-30; 8 Cyl. 1931-33
Hupmobile—All models to 1933; 422F, 4261, 1934; 321K, 1933; 421K, 421A-KK, 1934
Jordan—All Models 1926-29; E80, 1930
Lafayette—Serial 15922—Up, 1935
Marmon—68, 69, 70, 78, 1928-31
Moon—6-60, 6-70, 6-72—8-92
Nash—1926-29 Spec. 6; Adv. 6; Twin Ign. 1930; 8-490, 890, 990, 1080, 1090, 1190, 1220, 1280, 1290, 1934; 3520, 2580, 1935; 3620, 3640, 3680, 1936
Oakland—All Models
Overland—96, 96A, Whippet; 93A; 98A, 98D
Packard—Ser. 900, 1932; 1001-1105, 1933-34; 1200-1-2, 120, 1935-36
Paige—6-45, 1927-28; 6-65, 6-72 Broug. 1927
Peerless—6-60, 6-81, 6-61, 6-61A, 125, A, 1930-32
Pontiac—L 1929-32
Rockne—All models
Roosevelt—All Models
Stearns-Kt.—D, D6-85, G8-85, H8-90, J8-90, 1927-29; F-6-85
Studebaker—All Models 1928-32 except President; Pres. 82, 1933; Comm. 8, 1934; Dict. 6, 1935-36
Stutz—All models except Blackhawk 1929-31
Willys-Kt.—70-A; 56, 70-B, 87; 66-D; 8-80D; 66E; 8-88, 97; 98D, 95; 6-90; 6-70
Willys Ov'd—98-B, 8-80, 97, 98D, 95, 6-90, 90-A, 690A

AXLE THREAD SIZE $\frac{7}{8}$ "-14

Trucks

Dodge—Series C, D, E, F, $\frac{3}{4}$ Ton
Fargo—Clipper 6 Cyl. $\frac{3}{4}$ " Ton 1929-30
Federal—2 F6, 2 FW 1928-1929
Ford Truck—Models TT and AA to 1929
GMC—T15, T17, 1931; T15A
Gotfredson—B-24, 26, 1928
Republic—Model 75—1 $\frac{1}{4}$ Ton

AXLE THREAD SIZE $\frac{7}{8}$ "-18

Passenger Cars

Essex—All models 1931-33
Hudson—Super 8, 1930-31; Pace M. 8, 1932

AXLE THREAD SIZE 1"-14

Passenger Cars

Auburn—8-88-115, 120, 125, 8-98, 8-98-A, 1930-33; A98, 1930; 1250, 1934; 6-52X, 6-52V, 653, 1934-35; 6-54, 1936; 8-100A, 1932; 8-100, 8-101, 8-101A, 8-105, 1933; 12-160, 12-160A, 1932; 12 cyl. 1934; 850X, 1934; 851, 1935; 852, 1936; 850V, 1934
Buick—Stan. 6, 1926-28; 116WB 1929-30, Ser. 40-49, 1931; Ser. 50-60, 8 cyl. 1931-35; Ser. 80-90, 1933-36
Cadillac—36-60, 1936
Elcar—8-82, 8-95, 1928-29
Franklin—Lt. 6, 1933-34; Ser. 17, 12 cyl. Super 12, 1934
Gardner—95, 1928-29
Graham—614, 619, 621, 629, 827, 835, 837, 1928-31; 6 cyl. 1933; 67, 68, 1934-35; 72-73, 1935; Ser. 90-110, 1936
Hupmobile—417W, 421J, 1934; 521J, 1935
Jordan—G90, 1930
Lafayette—20 Serial No. 15922
LaSalle—350, 1934; 35-50, 3650, 1936
Marmon—79, 125
Marquette—All models to 1930
Moon—8-0, 1928-29
Nash—1060, 1070, 1120, 1130, 1170
Oldsmobile—All models 1928-36
Packard—All models 1929-31; 901, 904, 1932
Peerless—6-80, 6-90, 6-91, B, 1930-32
Pierce Arrow—All models to 1933
Reo—All models to 1936
Stearns—Kt. 6-80, 1927-28
Studebaker—Pres. 1928-32; Pres. 92-1933; C, Pres. 8, 1934; Comm. Pres. 1935; Pres. 1936
Viking—All models 1929-30
Willys-Kt.—6-66; 6-66A; Stan. 6, 56, 66B; 64

Trucks

Acorn—30P, 1928-30
Brockway—Jr. 2 and 4, Jr. JF, JFR, 60, 65, 70, E17, E25, Ey, JB2, JB3, JB4, 90B, JB, Bus E18, EB12, 14-18-19-20-21, 1927-28
Chevrolet—1 Ton 1929
Clinton—1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ Ton, 1928-31
Commerce—20B, 20V, 20Z, 25Z, 8A, 1928-29; S-11, 1930-31
Defiance—RU, 45, TT, 50C
Diamond T—04, 05, 150, 151, 152, 77
Dod. Graham—C, D, E, Series 1924-30 1 Ton to 1 $\frac{1}{4}$ Ton
Fargo—Freighter 6 Cyl. 1 Ton 1929-31
Federal—3 FW 1 Ton 1929-30
Garford—20, 20-6, 20Z, 25Z, 20B, 20G, S11, 1927-31
GMC—T11, 1930; T19
Indiana—200-74, 11, 11X, 611, 300, 1111, 1926-30
International—LD, SPD, AWI $\frac{3}{4}$ Ton
Overland—C-101, T103
Reo—VA, Jr. 15, B2, SP Wag., DA, DC, DF
Republic—CI
Seldon—Pacemaker 27
Service—S11, 1 Ton, 1930
Steward—16, 16X, 24X, 1928-29
White—57

AXLE THREAD SIZE 1 $\frac{1}{8}$ "-12

Passenger Cars

Buick—Mast. 6 to 1929; 50 to 69, 1930; 80 to 99, 1931-32
Cadillac—All models L1929-36 except 36-60, 1936
Elcar—H-965, 1930
Graham—615, 42, 45, 57, 820, 53, 54, All 8 cyl., 1933; Cust. 8, 1934; 69, 1934-35; 75, 1935
Hupmobile—427-T, 1934
La Salle—All models 1927-33
Locomobile—8-80; Big 8, 1929
Marmon—H, 88, 140, 1930-32
Paige—6-72, 1926-27; 6-75, 8-85, 1927-28
Peerless—C, 1930-32
Stutz—Blackhawk 1929-31

Trucks

Chevrolet—Model LR 1 $\frac{1}{2}$ Ton 1930
Reo—FA, FB, FF, FE, 1929-31

AXLE THREAD SIZE 1 $\frac{1}{4}$ "-12

Trucks

Acme—Model 41, 44, 46, Spec. 1929
Armleader—30, 1928-29
Atterbury—24R, 27R, 1928
Brockway—S31, 2 Ton 1930; S-23 to 28, 30, 31, 1928; SK 12, 16 1929
Chevrolet—1 $\frac{1}{2}$ Ton LS 1930; LT 1931-32; O Series 1 $\frac{1}{2}$ Ton, 1933-34
Clydesdale—Model 30—1 $\frac{1}{2}$ Ton 1930
Diamond T—T3, T5, T7, T36, T56, 1928-29
Federal T2W, T3W, T6W, T7W, T8, T21, T22, 1927-30
Ford Truck—All models 1930-31-32-33—Dual Wheels
Garford—30, 30-6, 1924-28
GMC—T718, T30, T40, T42, T44, T50
Gotfredson—30C-41, 1928
Indiana—Models 115-615, 1929-31
International—6 Speed Special S 1926; S24, S26, S1 34, SL36, SF, 36, AW2, AL3, ALF3, A2, B2
Macar—Model 36-46
Mack—AC, 8AC
Moreland—EX, BX, EX6
Noble—146A, 1928
Reo—FKX, FHX, FAX, G, FH, FD, FC
Republic—Models 50, 75, 76, 77
Selden—Express 1 $\frac{1}{2}$ Ton 1930
Studebaker—75, 75Jr., 76, 77 Jr., 1927-30; S-20 1930
White—51
Yellow Coach—Models X and Y

Husky CARBON SOCKET SETS

$\frac{1}{2}$ " SQUARE DRIVE

FOR ALL LATER MODEL FORD CARS

This set contains the correct and necessary sizes of sockets for work on the later models of Ford Cars. In addition it has the required accessories for a complete tool kit, including the Sliding Ell and Tee Handle. This is a tool of many purposes, saving the cost of a number of individual wrenches and doing the work better. This tool gives this set a wide range of service that covers many phases of repair work. There are 14—12 point sockets, $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ " and $1\frac{1}{8}$ ". 3—8 point sockets, $\frac{3}{8}$ ", $\frac{7}{16}$ " and $\frac{1}{2}$ ". —A Drag Link Socket, a Ratchet and Adapter, Sliding Ell and Tee Handle and a pair of drop forged steel pliers. All sockets and handles are accurately machined from special analysis selected steel, heat treated and hardened, and bright cadmium finished. All have the $\frac{1}{2}$ " square standard drive and are packed in a heavy gauge steel box $9\frac{3}{4}$ " x $4\frac{1}{4}$ " x $1\frac{1}{4}$ ".

No. 2465—22 Piece Set—Shipping Weight 7 Lbs. Each

Standard Package 25—List Price \$3.66



No. 2465

No. 2466—Is a convenient compact set, small enough to be carried in the car, but large enough to care for many difficult jobs. The sockets and tools are made from special analysis steel, carefully machined and finished in bright cadmium. There are 14—12 point sockets, $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ " and $1\frac{1}{8}$ ". Three 8 point sockets, $\frac{3}{8}$ ", $\frac{7}{16}$ " and $\frac{1}{2}$ ". —Ratchet and Adapter, Long Extension, and Ell Handle. All $\frac{1}{2}$ " Square standard drive and packed in a sturdy steel box $9\frac{3}{4}$ " x $4\frac{1}{4}$ " x $1\frac{1}{4}$ ".

No. 2466—22 Piece Set—Shipping Weight 7 Lbs. Each—Standard Package 25—List Price \$3.44



HUSKY CARBON SOCKET SETS

FOR CHEVROLET AND PLYMOUTH CARS

This set is particularly designed for emergency repairs on Chevrolet and Plymouth Cars, although the socket sizes selected will take care of work on many other makes as well. The slight investment required will be repaid many times even though it is only used occasionally. There is an unusually wide range of socket sizes for a set of this size. This means an equally wide range of jobs can be done with these tools. The limited space required in the tool box or car gives it an added value. All of the parts are carefully machined to size, from selected steel and rust proofed with a bright cadmium finish. All $\frac{1}{2}$ " square Standard Drive. There are 15—12 point sockets, $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ ", $\frac{11}{16}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", 1 ", $1\frac{1}{16}$ " and $1\frac{1}{8}$ ". 3—8 point sockets— $\frac{3}{8}$ ", $\frac{7}{16}$ " and $\frac{1}{2}$ ". Two solid end Drain Plug Sockets $\frac{5}{16}$ " and $\frac{7}{16}$ ". A Drag Link Socket, Ratchet and Adapter and Sliding Ell and Tee Handle. All packed in a heavy gauge steel box $9\frac{3}{4}$ " x $4\frac{1}{4}$ " x $1\frac{1}{4}$ ".


No. 2467—24 Piece Set—Shipping Weight 8 Lbs. Each—Standard Package 25—List Price \$3.80

No. 2468—A 17 Piece Set of essential sockets and attachments that will take care of a wide range of work. It is particularly attractive because of the extremely low price. There are twelve 12 point sockets $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{25}{32}$ ", $\frac{13}{16}$ ", and $\frac{7}{8}$ ". A Ratchet and Adapter, Long Extension, Slide Tee Handle and Drag Link Socket. All $\frac{1}{2}$ " square standard drive, bright Cadmium finish and packed in a covered steel box $9\frac{3}{4}$ " x $4\frac{1}{4}$ " x $1\frac{1}{4}$ ".

No. 2468—17 Piece Set in Steel Box—Shipping Weight 7 Lbs. Each—Standard Package 25—List Price \$2.98

Husky CARBON SOCKET SETS


1/2" SQUARE DRIVE



No. 2469

A 12 piece Husky carbon set in the Display Container. All parts of the set are clearly visible, yet are securely locked in. Can be handled and inspected freely without disturbing the arrangement. By loosening the thumb screws, the handle may be withdrawn, and the sockets rest in an open tray from which the desired size can be readily selected. The Display Container is provided with screw holes so that it can be easily fastened to the wall. The 15" flex handle is one of our most efficient tools. It spins on the nuts and then with a single motion swings to right angles for the tightening pull. The length assures ample leverage. This set contains Ten 12 point sockets carefully machined to size, heat treated and hardened. Sizes: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" and 15/16". A 15" Flex handle and 8" Cross Bar. Handle and sockets Bright Cadmium Finish and are 1/2" square standard drive.

No. 2469—12 Piece Set—Shipping Weight 4 3/4 Lbs. Each—Standard Package 25—List Price \$2.58




No. 2470

No. 2470—This set is exactly the same as No. 2469 except that it is packed in a covered steel box 14 1/2" x 2 1/2" x 1 1/2" instead of in a Display Container. It has all the advantages of the efficient 15" Flex Handle and the selected socket sizes. Because of the 1/2" square standard drive it can be used with any other standard tools, and other parts can be added as desired to make a complete socket equipment. Tools finished in bright cadmium.

No. 2470—12 Piece Set—Shipping Weight 5 lbs. Each

Standard Package 25—List Price \$2.58




No. 2471

This is a carefully selected assortment of sockets with the many purpose Ell and Tee Handle, the tool that takes the place of many. There are Ten 12 point sockets. Sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1", carefully machined to size, heat treated and hardened. With a Sliding Ell and Tee Handle and 1 1/4" Adapter. Handle and sockets finished in bright cadmium and packed in a covered steel box 11 1/2" x 2 5/8" x 1 1/2".

No. 2471—11 Piece Set—Shipping Weight 4 Lbs. Each

Standard Package 25—List Price \$1.82



No. 2473

A Handy set for the home garage or one that can be readily carried in the car. Contains the necessary sockets for emergency repairs. There are Ten heat treated 12 point sockets, 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1". A Sliding Ell and Tee Handle, and three extensions 1 1/4", 4 1/2" and 7 3/4" long. All bright cadmium finished and packed in a covered steel box 11 1/2" x 2 5/8" x 1 1/2".

No. 2473—14 Piece Set—Shipping Weight 4 1/2 Lbs. Each—Standard Package 25—List Price \$2.18

Husky CARBON AUTO MECHANICS' SETS

$\frac{1}{2}$ " SQUARE DRIVE



No. 2480

The parts of this set have been selected especially to meet the requirements of truck or car drivers' emergency repairs on the road or in the garage. The 12 point double hex sockets range in size from $\frac{5}{16}$ " to $1\frac{1}{4}$ " and the 8 point sockets from $\frac{5}{16}$ " to $\frac{3}{4}$ ". The short sturdy speeder will do excellent duty as a speed wrench, rim wrench or valve grinder. The other necessary socket wrench accessories are included.

All parts are made from carefully selected special analysis steel, carefully machined and properly heat treated, hardened and bright cadmium finished.


The pieces are compactly arranged in a heavy gauge hinged cover metal box, attractively finished, with brass plated hinges and catches. Size of Box $13" \times 7" \times 1\frac{5}{8}"$.

There are 20—12 point sockets, $\frac{5}{16}"$, $\frac{11}{32}"$, $\frac{3}{8}"$, $\frac{7}{16}"$, $\frac{1}{2}"$, $\frac{17}{32}"$, $\frac{9}{16}"$, $\frac{19}{32}"$, $\frac{5}{8}"$, $\frac{21}{32}"$, $\frac{11}{16}"$, $\frac{3}{4}"$, $\frac{25}{32}"$, $\frac{13}{16}"$, $\frac{7}{8}"$, $\frac{15}{16}"$, $\frac{31}{32}"$, $1"$, $1\frac{1}{8}"$ and $1\frac{1}{4}"$. 9—8 point sockets, $\frac{5}{16}"$, $\frac{11}{32}"$, $\frac{3}{8}"$, $\frac{7}{16}"$, $\frac{1}{2}"$, $\frac{9}{16}"$, $\frac{5}{8}"$, $\frac{11}{16}"$ and $\frac{3}{4}"$. A Ratchet and Adapter, Long Extension, Ell Handle, Short Speeder and Valve Grinder. All $\frac{1}{2}"$ square standard drive.

- | | | |
|-----------|---|---------------|
| No. 2460 | —35 Piece Set with Leather Carrying Handle—Standard Package 10—Shipping Weight $13\frac{1}{2}$ Lbs. Each—List Price | \$6.14 |
| No. 2460W | —35 Piece Set with Carrying Handle —Standard Package 10—Shipping Weight $13\frac{1}{2}$ Lbs. Each—List Price | 5.76 |
| No. 2460C | —35 Piece Set in Fibre Board Box —Standard Package 10—Shipping Weight 10 Lbs. Each—List Price | 5.20 |

No. 2461—Is a very popular set that contains the socket sizes most frequently used, with the essential tools. It contains 17—12 point sockets, $\frac{5}{16}"$, $\frac{11}{32}"$, $\frac{3}{8}"$, $\frac{7}{16}"$, $\frac{3}{4}"$, $\frac{17}{32}"$, $\frac{9}{16}"$, $\frac{19}{32}"$, $\frac{5}{8}"$, $\frac{21}{32}"$, $\frac{11}{16}"$, $\frac{3}{4}"$, $\frac{25}{32}"$, $\frac{13}{16}"$, $\frac{7}{8}"$, $\frac{15}{16}"$ and $1"$. 4—8 point sockets, $\frac{1}{2}"$, $\frac{5}{8}"$, $\frac{11}{16}"$ and $\frac{3}{4}"$. A Ratchet handle and Adapter, Long Extension, and Short Speeder. All $\frac{1}{2}"$ Square standard drive and bright cadmium finish. Packed in a heavy gauge steel box $13" \times 7" \times 1\frac{5}{8}"$.

- | | | |
|-----------|---|---------------|
| No. 2461 | —25 Piece Set with Leather Carrying Handle—Standard Package 10—Shipping Weight $10\frac{1}{2}$ Lbs. Each—List Price | \$1.90 |
| No. 2461W | —25 Piece Set with Carrying Handle —Standard Package 10—Shipping Weight $10\frac{1}{2}$ Lbs. Each—List Price | 4.60 |




No. 2462

No. 2462—A very careful selection of socket sizes has been made for this set, so as to take care of the requirements of any make of car. A short speeder, and sturdy ratchet, the very feel of which gives confidence and a sliding Ell and Tee Handle, the tool of many purposes. All are made to fit the standard $\frac{1}{2}"$ Square drive. Bright Cadmium finished and packed in a heavy gauge steel box $13" \times 7" \times 1\frac{5}{8}"$. There are 10—12 point sockets, $\frac{3}{8}"$, $\frac{7}{16}"$, $\frac{1}{2}"$, $\frac{9}{16}"$, $\frac{5}{8}"$, $\frac{21}{32}"$, $\frac{11}{16}"$, $\frac{3}{4}"$, $\frac{25}{32}"$ and $\frac{13}{16}"$. A Ratchet and Adapter, Short Speeder, Sliding Ell and Tee Handle.

- | | | |
|-----------|---|---------------|
| No. 2462 | —14 Piece Set with Leather Carrying Handle
Standard Package 10—Shipping Weight 9 Lbs.—List Price | \$3.70 |
| No. 2462W | —14 Piece Set with Carrying Handle
Standard Package 10—Shipping Weight 9 Lbs.—List Price | \$3.40 |
| No. 2462C | —14 Piece Set in Fibre Board Box
Standard Package 10—Shipping Weight 8 Lbs.—List Price | \$2.62 |

Husky CARBON SOCKET SET

$\frac{1}{2}$ " SQUARE DRIVE




No. 2463W

This assortment of tools is the choice of many experienced mechanics. It contains those sockets and accessories that are most frequently required in their work. All of the parts are accurately machined from selected special analysis steel, heat treated and hardened and attractively rust proofed with a bright cadmium finish. It is one of the most popular and best selling sets in Husky Carbon line. The handle openings are $\frac{1}{2}$ " square and the sockets accurately broached to size. It is packed in a sturdy heavy gauge steel box 19" x 6 $\frac{3}{4}$ " x 1 $\frac{3}{4}$ ".

It contains 18—12 point sockets, $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{17}{32}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{23}{32}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", $\frac{31}{32}$ " and 1". 6—8 point sockets $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ " and $\frac{5}{8}$ "—Ratchet and Adapter, Sliding Ell and Tee Handle, Long Speeder, 7 $\frac{1}{2}$ " long Extension and 4 $\frac{1}{2}$ " short Extension.

- | | | |
|---|--|---------------|
| No. 2463W—30 Piece Set with Carrying Handle | —Standard Package 10—Shipping Weight 12 Lbs. Each—List Price | \$5.48 |
| No. 2463 —30 Piece Set with Leather Carrying Handle | —Standard Package 10—Shipping Weight 12 Lbs. Each—List Price | 5.78 |
| No. 2463C —30 Piece Set in Fibre Board Box | —Standard Package 10—Shipping Weight 8 Lbs. Each—List Price | 4.52 |



No. 2464W

No. 2464W—There is not only a splendid collection of $\frac{1}{2}$ " Square Drive Carbon sockets and tools in this set, but in addition a splendid $\frac{1}{4}$ " hex drive midget set. This assortment will not only take care of the heavy work, but also those little bothersome jobs that require so much time and labor with ordinary tools. All of the parts are made from selected steel carefully machined by master workmen, heat treated and bright cadmium plated. It contains 18—12 point sockets, $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{17}{32}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{23}{32}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", $\frac{31}{32}$ " and 1". 6—8 point sockets, $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ " and $\frac{5}{8}$ "—Ratchet and Adapter, Sliding Ell and Tee Handle, Long Speeder, 7 $\frac{1}{2}$ " long Extension, and 4 $\frac{1}{2}$ " short Extension. Packed in a heavy steel box 19" x 6 $\frac{3}{4}$ " x 1 $\frac{3}{4}$ ". The Midget set is packed in a separate steel box inside the larger one and can be easily taken out for special work.


It contains Five Hex Sockets— $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ " and $\frac{1}{2}$ ". One Internal Knurled Socket. Two Square Sockets— $\frac{1}{4}$ " and $\frac{5}{16}$ ". A Wood Handle Screw Driver Adapter 6" long. A 4 $\frac{3}{4}$ " long Ell Handle and a 3 $\frac{3}{4}$ " long socket extension. All Midget parts $\frac{1}{4}$ " Hex Drive.

No. 2464W—41 Piece Set with Carrying Handle—Standard Package 10—Shipping Weight 13 Lbs. Each—List Price **\$6.30**

No. 2464C—41 Piece Set in Fibre Board Box—Standard Package 10—Shipping Weight 9 Lbs. Each—List Price **5.32**

Husky CARBON UNIVERSAL WRENCH SETS

1/2" SQUARE DRIVE



No. 2457W

We have carefully selected each part contained in this set for the purpose of supplying the mechanic with a complete set of wrenches of exceeding value at a very low price. The contents are designed and adapted to meet the requirements of the most exacting and difficult work. The number of pieces permit a universal range of combinations, enabling the mechanic to work in the most inaccessible places safely and with confidence.


The sockets and accessory parts are made from special analysis carefully selected steels, heat treated and properly hardened. All parts are fully guaranteed and finished in heavy bright cadmium plate and are 1/2" standard drive, interchangeable with all standard wrench sets.

Packed in heavy gauge steel box, size 19" x 7" x 1 5/8", double locking hinged cover with brass plated hinges and catches attractively finished.

Contains—20—12 Point Sockets $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{25}{32}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", $\frac{31}{32}$ ", 1", 1 1/16", 1 1/8" and 1 1/4". Seven 8 Point Sockets $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ " and $\frac{3}{4}$ ". Ratchet and Adapter, Long Extension, Slide Tee Handle, Long Speeder, Drag Link Socket Valve Grinder, Universal Joint and 4 1/2" Extension.

No. 2457 —36 Piece Set with Leather Carrying Handle—Standard Package 10—Shipping Weight 15 Lbs. Each—List Price **\$7.18**

No. 2457W—36 Piece Set with Carrying Handle —Standard Package 10—Shipping Weight 15 Lbs. Each—List Price **6.86**



No. 2458W

This 36 Piece set is one of the old favorites that has been popular with the trade for a number of years, and is still among the leading sellers. A well balanced kit. It contains Twenty 12 point sockets, $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{25}{32}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", $\frac{31}{32}$ ", 1", 1 1/16", 1 1/8", and 1 1/4". Nine 8 Point sockets $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ " and $\frac{3}{4}$ ". Ratchet and adapter, Ell Handle, Long Extension, Long Speeder, Valve Grinder and Universal Joint. All 1/2" Square Drive, finished in bright cadmium and packed in an attractive steel box.

No. 2458 —36 Piece Set with Leather Carrying Handle—Standard Package 10—Shipping Weight 15 Lbs. Each—List Price **\$7.18**

No. 2458W—36 Piece Set with Carrying Handle —Standard Package 10—Shipping Weight 15 Lbs. Each—List Price **6.86**

No. 2458C —36 Piece Set in Fibre Board Box —Standard Package 10—Shipping Weight 11 Lbs. Each—List Price **5.90**

No. 2459 —Is the same as No. 2458 but without the Universal Joint.


No. 2459 —35 Piece Set with Leather Carrying Handle—Standard Package 10—Shipping Weight 14 1/2 Lbs. Each—List Price **\$6.60**

No. 2459W—35 Piece Set with Carrying Handle —Standard Package 10—Shipping Weight 14 1/2 Lbs. Each—List Price **6.30**

No. 2459C —35 Piece Set in Fibre Board Carton —Standard Package 10—Shipping Weight 12 Lbs. Each—List Price **5.34**

Husky CARBON GARAGE AND INDUSTRIAL SET

1/2" SQUARE DRIVE




No. 2455

We recommend this set for Machine shops and industrial plants as well as truck and bus service stations. No mechanic who has ever used one would be without this assortment among his tools. Detachable Socket Wrenches possess certain inherent advantages that make them almost indispensable to industrial users. This set offers a wide selection in the combination of regular parts to make the complete wrench, which can be easily and quickly built up to suit the individual job. Several hundred different combinations are possible. All parts are interchangeable with all standard wrench sets having 1/2" square drive. It contains 21—12 point sockets $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{17}{32}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{23}{32}$ ", $\frac{3}{4}$ ", $\frac{25}{32}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", $\frac{31}{32}$ ", 1", 1 1/8" and 1 1/4"—10—8 point sockets, $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ " and 7/8"—Long Speeder, Short Speeder, Ratchet and Adapter, Sliding Ell and Tee Handle, Long Extension, Universal Joint, Drag Link Socket and Valve Grinder. All parts have a 1/2" square Standard Drive, and are finished in bright cadmium. Packed in heavy gauge steel box 19" x 7" x 1 5/8" attractively finished with leather form fitting carrying handle.

- | | | |
|-----------|--|---------------|
| No. 2455 | —40 Piece Set with Leather Carrying Handle—Shipping Weight 17 Lbs. Each—Standard Package 10—List Price | \$7.80 |
| No. 2455W | —40 Piece Set with Carrying Handle —Shipping Weight 17 Lbs. Each—Standard Package 10—List Price | 7.50 |
| No. 2455C | —40 Piece Set in Fibre Board Box —Shipping Weight 13 Lbs. Each—Standard Package 10—List Price | 6.60 |

SPECIAL Husky CARBON WRENCH SET

1/2" SQUARE DRIVE




No. 2456

The 40 pieces in this set have been selected at the request of some of the largest wrench dealers in the country. This combination is very popular with their customers as it gives them a tool equipment that will take care of their many and varied jobs. All parts are 1/2" square drive and bright cadmium plated. This set contains: Twenty-one 12 point sockets, $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{17}{32}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{23}{32}$ ", $\frac{3}{4}$ ", $\frac{25}{32}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", $\frac{31}{32}$ ", 1", 1 1/8", and 1 1/4". Nine 8 point sockets $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ " and $\frac{3}{4}$ ". Three Drain Plug Sockets $\frac{5}{16}$ ", $\frac{7}{16}$ " and $\frac{5}{8}$ ", Ratchet, Adapter, Slide Tee Handle, Short Speeder, Long Extension, Valve Grinder, Screw Driver Adapter.

- | | | |
|-----------|--|---------------|
| No. 2456 | —40 Piece Set with Leather Carrying Handle—Shipping Weight 15 1/4 Lbs. Each—Standard Package 10—List Price | \$6.70 |
| No. 2456W | —40 Piece Set with Carrying Handle —Shipping Weight 15 1/4 Lbs. Each—Standard Package 10—List Price | 6.36 |
| No. 2456C | —40 Piece Set in Fibre Board Box —Shipping Weight 11 3/4 Lbs. Each—Standard Package 10—List Price | 5.30 |

Husky CARBON SOCKET SET

$\frac{1}{2}$ " SQUARE DRIVE



No. 2452

No. 2452—Many hundreds of different tools may be made by the possible combinations in this set, enabling the user to take care of practically any repair job. All parts are accurately machined from special analysis selected steel. The sockets are accurately broached to size, heat treated and burnished with a bright rust proof cadmium finish. This set contains: 20—12 point sockets $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{17}{32}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{25}{32}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", $\frac{31}{32}$ ", 1", $1\frac{1}{8}$ " and $1\frac{1}{4}$ ". 9—8 point sockets $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ " and $\frac{3}{4}$ ". 6 Drain Plug Sockets— $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ " and $\frac{5}{8}$ ". A Ratchet and Adapter, Ell Handle, Long Extension, Long Speeder, Valve Grinder, Alemite Socket and Universal Joint. All the above $\frac{1}{2}$ " Square standard drive. Also seven Hex Sockets—Two $\frac{1}{4}$ ", One each $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ " and $\frac{1}{2}$ ". One Internal Knurled Socket. A Wood Handle Screw Driver Adapter 6" long. A $4\frac{3}{4}$ " long Ell Handle and a $3\frac{3}{4}$ " long socket extension. All Midget parts $\frac{1}{4}$ " Hex Drive. 5 Double Open end wrenches $\frac{1}{4}$ " x $\frac{5}{16}$ ", $\frac{3}{8}$ " x $\frac{7}{16}$ ", $\frac{1}{2}$ " x $\frac{9}{16}$ ", $\frac{5}{8}$ " x $\frac{3}{4}$ ", $\frac{7}{8}$ " x 1". All securely packed in a heavy gauge steel box 19" x 7" x $1\frac{5}{8}$ ".

No. 2452—59 Piece Set with Leather Carrying Handle—Shipping Weight 19 Lbs. Each—Standard Packing 10—List Price \$8.80


No. 2452W—59 Piece Set with Carrying Handles Shipping Weight 19 Lbs. Each—Standard Packing 10—List Price \$8.50

No. 2453—This is a 51 piece triplex set containing $\frac{1}{2}$ " square standard drive sockets and attachments that will provide a splendid tool equipment. Also a set of open end wrenches with openings from $\frac{1}{4}$ " to 1", and a $\frac{1}{4}$ " hex drive ignition set that is invaluable for light work. There are twenty 12 point sockets; $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{17}{32}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{25}{32}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", $\frac{31}{32}$ ", 1", $1\frac{1}{8}$ " and $1\frac{1}{4}$ ". Nine 8 point sockets $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ " and $\frac{3}{4}$ ". Ratchet and adapter, Ell Handle, Long Extension, Long Speeder, and Valve Grinder. All $\frac{1}{2}$ " Square drive. Five Open End Wrenches $\frac{1}{4}$ " x $\frac{5}{16}$ ", $\frac{3}{8}$ " x $\frac{7}{16}$ ", $\frac{1}{2}$ " x $\frac{9}{16}$ ", $\frac{5}{8}$ " x $\frac{3}{4}$ ", and $\frac{7}{8}$ " x 1. Eight Ignition Sockets: Two $\frac{1}{4}$ ", one each $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ " and an Internal knurled socket, a Wood Handle Screw Driver Adapter, a 3" long adapter and a 5" long Ell Handle. These Ignition parts $\frac{1}{4}$ " hex drive. All parts bright cadmium plated and packed in a steel box 19" x 7" x $1\frac{5}{8}$ " with leather carrying handle.

Shipping Weight 18 Lbs. Each—Standard Package 10—List Price \$7.70

No. 2453W—Same as 2453 but with steel carrying handle

Shipping Weight 18 Lbs. Each—Standard Package 10—List Price \$7.40



No. 2454W

No. 2454

Hundreds of different tools may be made by the possible combinations in this set. Speed, Ease and Economy of operation on any job are assured because of its adaptability. All parts have a standard $\frac{1}{2}$ " sq. drive and a bright rust proofed cadmium finish. Packed in a heavy gauge steel box 19" x 7" x $1\frac{5}{8}$ ", attractively finished.


This set contains 20—Twelve Point broached sockets. Sizes: $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{17}{32}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{23}{32}$ ", $\frac{3}{4}$ ", $\frac{25}{32}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", $\frac{31}{32}$ ", 1", $1\frac{1}{8}$ " and $1\frac{1}{4}$ ". 10—8 Point Sockets, Sizes: $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ " and $\frac{7}{8}$ ". 6—Solid End Drain Plug Sockets, Sizes:— $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ " and $\frac{5}{8}$ ". One each, Sliding Ell and Tee Handle, Short Speeder, Long Speeder, Ratchet Handle, Valve Grinder, Short Extension, Long Extension, Universal Joint, and Screw Driver.

No. 2454—45 Piece Set with Leather Carrying Handle—Shipping Weight 18 Lbs. Each—Standard Packing 10—List Price \$8.50

No. 2454W—45 Piece Set with Carrying Handle—Shipping Weight 18 Lbs. Each—Standard Packing 10—List Price \$8.20

Husky CARBON SOCKET SET

$\frac{1}{2}$ " SQUARE DRIVE



No. 2451

This 60 piece wrench set offers to every mechanic a wide selection in the combination of parts, which can easily and quickly be built up to make a complete wrench to meet any requirement. Added to this is the advantage of ample space provided in the 19" x 6" x 6 $\frac{1}{2}$ " Tool Box for special tools. All tools have the standard $\frac{1}{2}$ " square and $\frac{1}{4}$ " hex drive and a bright rust proof cadmium finish.

This set contains Twenty 12 point sockets $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{17}{32}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{25}{32}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", $\frac{31}{32}$ ", 1", $1\frac{1}{8}$ " and $1\frac{1}{4}$ ". Nine 8 point sockets $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ " and $\frac{3}{4}$ ". Six Drain Plug Sockets $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ " and $\frac{5}{8}$ ", Ratchet Handle, Ell Handle, Long Extension, Short Adapter and Long Speeder. All the above $\frac{1}{2}$ " square drive. Five Hex Sockets— $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ " and $\frac{1}{2}$ ". One Internal Knurled Socket. Two Square Sockets— $\frac{1}{4}$ " and $\frac{5}{16}$ ". A Wood Handle Screw Driver Adapter 6" long. A 4 $\frac{3}{4}$ " long Ell Handle and a 3 $\frac{3}{4}$ " long socket extension. All Midget parts $\frac{1}{4}$ " Hex Drive. Five open end wrenches $\frac{1}{4}$ " x $\frac{5}{16}$ ", $\frac{3}{8}$ " x $\frac{7}{16}$ ", $\frac{1}{2}$ " x $\frac{9}{16}$ ", $\frac{5}{8}$ " x $\frac{3}{4}$ ", and $\frac{7}{8}$ " x 1". Four Box End Wrenches $\frac{3}{8}$ " x $\frac{7}{16}$ ", $\frac{1}{2}$ " x $\frac{9}{16}$ ", $\frac{5}{8}$ " x $\frac{11}{16}$ ", and $\frac{3}{4}$ " x $\frac{25}{32}$ ".

Packed in an attractively finished 19" Tool Box.

No. 2451—60 Piece Set—Packed 10 to a Case—Shipping Weight 21 Lbs. Each—List Price \$9.16